

# **Real-Time Embedded Control Technologies for Engineering Process Management**

**Dr. Oliver Andersen**

Associate Professor, Nordic Institute of Industrial Automation, Norway

## **Abstract**

Real-time embedded control technologies have become increasingly important for managing complex engineering processes that require rapid response, continuous monitoring, deterministic execution, and reliable operational coordination. Unlike conventional computing platforms, embedded control systems combine dedicated computational capabilities with sensors, actuators, communication interfaces, and control algorithms to support process-level decision-making within strict timing constraints. Their application across manufacturing, energy systems, transportation, robotics, industrial automation, and infrastructure management has created new opportunities for improving operational efficiency and process reliability. This paper examines the role of real-time embedded control technologies in engineering process management, focusing on system architecture, real-time computation, sensing and actuation, communication mechanisms, adaptive control, and intelligent decision support. A structured analytical approach is used to examine how embedded controllers contribute to process synchronization, fault detection, resource optimization, predictive response, and operational stability.

The analysis demonstrates that real-time embedded platforms can significantly improve engineering process performance by reducing response delays, enabling continuous feedback, and supporting automated adjustments under changing operating conditions. Integration with industrial communication networks and intelligent algorithms further enhances their capacity to coordinate distributed engineering processes. However, implementation challenges remain associated with computational limitations, timing determinism, cybersecurity, system interoperability, software complexity, maintenance, and scalability. The study proposes an integrated management perspective in which real-time embedded control is treated not merely as a hardware-level technology but as a strategic mechanism for coordinating engineering operations. Future developments are expected to emphasize edge intelligence, machine learning-assisted control, digital twins, secure communication, energy-aware architectures, and autonomous process management. The findings highlight the potential of real-time embedded control technologies to establish responsive, reliable, and intelligent engineering environments capable of supporting increasingly complex industrial processes.

**Keywords:** Real-Time Control; Embedded Systems; Engineering Process Management; Industrial Automation; Embedded Controllers; Process Optimization; Sensor Networks; Intelligent Control; Edge Computing; Industrial Systems

## **1. Introduction**

Engineering processes increasingly operate within environments characterized by high levels of automation, interconnected equipment, rapid information exchange, and continuously changing

operating conditions. Manufacturing lines, robotic systems, energy infrastructure, transportation systems, and industrial plants require accurate coordination between physical processes and computational decision-making. Traditional control approaches may experience limitations when process complexity increases and rapid responses become essential. Real-time embedded control technologies address these requirements by integrating dedicated computational resources with sensing, actuation, communication, and control capabilities. Such integration allows engineering processes to be monitored and adjusted continuously while maintaining strict timing requirements.

A real-time embedded control system is designed to execute specific computational functions within defined temporal constraints. Its effectiveness therefore depends not only on computational accuracy but also on predictable response time. Sensors collect information from physical processes, embedded processors evaluate operating conditions, control algorithms generate appropriate decisions, and actuators implement those decisions. This closed-loop relationship enables engineering systems to respond dynamically to variations in temperature, pressure, speed, load, vibration, position, energy demand, and other operational parameters. The resulting control capability can improve process stability while reducing dependence on delayed human intervention.

The development of advanced microcontrollers, digital signal processors, multicore embedded platforms, field-programmable gate arrays, and real-time operating systems has expanded the capabilities of embedded control environments. Modern platforms can execute multiple control functions, communicate with distributed devices, process sensor information, and support increasingly sophisticated algorithms. At the same time, industrial communication technologies enable embedded controllers to exchange information across machines and production areas. This evolution has transformed embedded controllers from isolated control units into interconnected components of broader engineering management systems.

Engineering process management requires more than maintaining individual equipment within predefined operating limits. It involves coordinating multiple resources, balancing production requirements, responding to disturbances, identifying faults, and maintaining operational continuity. Real-time embedded control technologies can contribute to these objectives by providing immediate information and localized decision-making capabilities. When combined with supervisory systems and data-driven analytics, embedded controllers can create a layered management environment in which low-level control decisions occur locally while higher-level systems coordinate strategic process objectives.

The growing adoption of intelligent engineering environments has further increased the relevance of real-time embedded control. Artificial intelligence, edge computing, industrial Internet of Things architectures, digital twins, and predictive maintenance technologies increasingly depend on timely information from physical systems. Embedded controllers provide an important interface between computational intelligence and physical operations. Therefore, understanding their role in engineering process management is essential for designing responsive, efficient, secure, and scalable engineering systems.

## 2. Objectives

### 2.1 Primary Objective

The primary objective of this study is to examine how real-time embedded control technologies can improve the management, coordination, monitoring, and optimization of engineering processes. The

study emphasizes the relationship between embedded computation, real-time sensing, feedback control, communication infrastructure, and engineering decision-making. It also evaluates the technological factors that influence system responsiveness, reliability, scalability, and operational efficiency.

## **2.2 Evaluation of Real-Time Control Capabilities**

The study evaluates the contribution of embedded controllers to real-time engineering operations by examining their ability to process sensor information, execute control algorithms, and generate timely actuator responses. Particular attention is given to deterministic processing, feedback mechanisms, computational efficiency, and response consistency. These characteristics are important for engineering environments where delayed decisions may reduce productivity, increase equipment stress, or compromise process stability.

## **2.3 Assessment of Process Management Integration**

A further objective is to assess how embedded control technologies can be integrated into broader engineering process management architectures. The study considers communication networks, distributed control, intelligent analytics, edge computing, and supervisory management. The objective is to identify an integrated technological approach through which real-time embedded systems can support both operational control and higher-level engineering management functions.

## **3. Literature Review**

### **3.1 Evolution of Embedded Control Technologies**

Embedded control systems have evolved from relatively simple dedicated controllers into sophisticated computational platforms capable of supporting complex engineering applications. Early embedded controllers primarily performed fixed control functions with limited computational and communication capabilities. Improvements in processor performance, memory capacity, digital electronics, and software development environments have enabled embedded platforms to support advanced control algorithms and interconnected operations. Real-time operating systems have further improved task scheduling and temporal predictability by allowing developers to prioritize control functions according to operational requirements.

The evolution of embedded control has also been influenced by the increasing availability of low-cost sensors and communication interfaces. Modern controllers can acquire information from multiple sources and coordinate equipment distributed throughout an engineering environment. This development has strengthened the relationship between embedded control and industrial automation. Instead of treating machines as independent units, engineering organizations can use networked embedded systems to establish coordinated control structures that improve visibility and process synchronization.

### **3.2 Real-Time Computing and Engineering Process Management**

Real-time computing is fundamentally concerned with producing correct results within specified temporal requirements. In engineering process management, the timing of a control decision can be as important as its numerical correctness. A control action that arrives too late may fail to stabilize a process even when the calculated value is technically accurate. Real-time embedded platforms therefore

require appropriate scheduling mechanisms, predictable execution, efficient communication, and optimized software architectures.

Engineering process management benefits from this capability because operational conditions can be assessed continuously. Embedded controllers can detect deviations from desired states and immediately implement corrective actions. This is particularly important in high-speed manufacturing, robotics, motor control, energy conversion, and safety-related systems. Real-time computation can consequently reduce response latency while improving process consistency and minimizing unnecessary intervention.

### **3.3 Intelligent and Networked Embedded Control**

The integration of embedded control with intelligent computing has created new opportunities for adaptive engineering management. Machine learning algorithms can support anomaly identification, condition assessment, and parameter optimization, while edge computing allows data processing to occur close to the physical process. This reduces the dependence on centralized computing and can decrease communication delays. Networked embedded controllers can also coordinate distributed equipment, allowing engineering processes to respond collectively to changing operating conditions.

Industrial Internet of Things architectures have accelerated this transition by connecting embedded devices, sensors, controllers, gateways, and management platforms. However, increasing connectivity also creates challenges associated with cybersecurity, interoperability, data management, and system complexity. Consequently, future embedded control architectures must balance intelligence and connectivity with deterministic performance, security, reliability, and maintainability.

## **4. Methodology**

### **4.1 Research Design**

This study adopts a structured conceptual and analytical research design to examine the application of real-time embedded control technologies in engineering process management. The methodology focuses on identifying the major technological components that influence process performance and evaluating their relationships within an integrated engineering environment. The analysis considers embedded processors, real-time operating systems, sensing systems, actuators, control algorithms, communication networks, and supervisory management mechanisms.

The research approach synthesizes established engineering and computing concepts to develop an integrated perspective on real-time embedded control. Particular emphasis is placed on process responsiveness, control accuracy, reliability, communication efficiency, resource utilization, and system scalability. The approach does not treat embedded control as an isolated technical component but examines it as part of a complete engineering management architecture.

### **4.2 System Architecture and Functional Components**

A typical real-time embedded control architecture consists of sensing, computation, communication, decision, and actuation layers. Sensors capture physical conditions and transmit measurements to the embedded controller. The processing layer filters and evaluates these measurements before control algorithms determine the required response. The actuator layer converts computational decisions into physical actions. Communication interfaces allow controllers to exchange information with other embedded systems and supervisory platforms.

## Key architectural elements include:

- Real-time microcontrollers and embedded processors
- Sensors for temperature, pressure, vibration, position, speed, and load
- Actuators for mechanical, electrical, hydraulic, and pneumatic control
- Real-time operating systems and deterministic scheduling mechanisms
- Feedback and adaptive control algorithms
- Industrial communication interfaces and network protocols
- Edge computing and local data-processing capabilities
- Diagnostic and fault-monitoring mechanisms
- Security controls for connected embedded devices

These components collectively establish a closed-loop control environment capable of responding to process variations.

## 4.3 Real-Time Processing and Control Strategy

The study analyzes real-time processing according to the relationship between sensing frequency, computational workload, control-cycle duration, and actuator response. Control tasks must be completed within predefined deadlines to maintain system stability. Scheduling strategies are therefore examined in relation to task priority, interrupt handling, processor utilization, and communication requirements. Control algorithms are considered according to their suitability for dynamic engineering environments where operating conditions can change rapidly.

The methodology also considers the role of feedback in maintaining process performance. Continuous comparison between desired and measured process states allows controllers to identify deviations and initiate corrective actions. Adaptive and intelligent control approaches are considered as extensions of conventional feedback control because they can adjust system behavior according to changing process conditions. This provides a basis for evaluating how embedded intelligence can contribute to more autonomous engineering process management.

## 4.4 Performance Evaluation Framework

The analytical framework evaluates real-time embedded control technologies through operational and management-oriented criteria. These criteria are used to understand how technological characteristics influence engineering process outcomes.

### The principal evaluation dimensions are:

- **Response Time:** Ability to detect and respond to process changes within required deadlines.
- **Control Accuracy:** Ability to maintain process variables close to desired operating conditions.
- **Reliability:** Capacity to operate continuously with minimal failures or unexpected interruptions.
- **Communication Efficiency:** Ability to exchange process information with minimal latency and loss.
- **Resource Efficiency:** Effective utilization of processor, memory, energy, and communication resources.
- **Scalability:** Ability to support increasing numbers of devices and control functions.
- **Security:** Protection against unauthorized access, manipulation, and communication-based threats.
- **Maintainability:** Ease of diagnosing, updating, and sustaining embedded control infrastructure.

## 5. Analysis

### 5.1 Real-Time Embedded Control for Process Responsiveness

Process responsiveness is one of the most important benefits of real-time embedded control. Conventional centralized management systems may require information to travel through several computational and communication layers before a response is generated. Embedded controllers can reduce this delay by performing critical control functions close to the physical process. Local computation allows immediate processing of sensor information and rapid activation of actuators. This characteristic is particularly valuable in applications where process conditions can change faster than centralized systems can respond.

Real-time control also supports consistent execution of repetitive engineering operations. Manufacturing equipment, robotic mechanisms, motor drives, and automated inspection systems frequently require control cycles to be completed at predictable intervals. Deterministic scheduling and optimized embedded software can help maintain this consistency. As a result, process management can become more stable and less dependent on irregular communication or manual intervention.

**Table 1: Major Contributions of Real-Time Embedded Control to Engineering Process Management**

| Management Dimension | Embedded Control Contribution              | Expected Engineering Benefit     |
|----------------------|--------------------------------------------|----------------------------------|
| Process Monitoring   | Continuous sensor-based measurement        | Improved operational visibility  |
| Response Management  | Rapid local decision-making                | Reduced process response delays  |
| Equipment Control    | Automated actuator commands                | Improved operational consistency |
| Fault Detection      | Real-time anomaly identification           | Faster corrective intervention   |
| Resource Management  | Local optimization of operating parameters | Reduced resource wastage         |
| Process Coordination | Controller-to-controller communication     | Better synchronization           |
| Safety Management    | Immediate response to abnormal conditions  | Reduced operational risk         |
| Maintenance Support  | Condition monitoring and diagnostics       | Improved equipment availability  |

Table 1 demonstrates that real-time embedded control contributes to engineering process management across multiple operational dimensions. Its value extends beyond direct machine control because continuous monitoring, fault detection, process coordination, and resource optimization can collectively improve system-level performance.

The ability to make decisions locally is especially important for time-sensitive processes. When embedded controllers are integrated with higher-level management systems, organizations can combine rapid operational control with broader production planning and engineering analysis.

### 5.2 Intelligent Control and Adaptive Process Optimization

The incorporation of intelligent algorithms into embedded controllers can improve their ability to manage dynamic engineering environments. Conventional controllers often operate according to predefined parameters, whereas adaptive approaches can modify control behavior when process conditions change. Embedded machine learning can support tasks such as anomaly detection, predictive maintenance, parameter estimation, and operating-state classification. These capabilities allow engineering processes to move from reactive control toward more predictive and adaptive management.

Edge-based intelligence is particularly relevant because it allows selected analytical tasks to be performed near the data source. This can reduce network traffic and communication latency while improving data availability for local decisions. However, intelligent embedded systems must be designed carefully because computationally intensive algorithms can compete with time-critical control tasks. Effective architecture therefore requires appropriate task prioritization, hardware acceleration, model optimization, and resource management.

### 5.3 Distributed Control and Industrial Connectivity

Modern engineering environments increasingly rely on distributed control architectures in which multiple embedded controllers coordinate different sections of a process. Distributed control can improve scalability by allowing control functions to be divided across multiple devices. If designed appropriately, the failure of one controller may also be isolated from other system components, improving overall resilience. Communication networks provide the infrastructure required for exchanging status information, control commands, and diagnostic data.

The integration of industrial communication technologies further supports process management by creating a shared operational environment. Controllers can communicate with supervisory platforms, programmable automation systems, robotic equipment, sensors, and analytics platforms. Nevertheless, network dependence introduces additional timing and cybersecurity requirements. Engineering organizations must therefore consider communication latency, synchronization, redundancy, authentication, and fault tolerance when designing distributed embedded control systems.

**Table 2: Performance Factors in Real-Time Embedded Engineering Control**

| Performance Factor  | Key Requirement                   | Management Implication            |
|---------------------|-----------------------------------|-----------------------------------|
| Timing Determinism  | Predictable task completion       | Stable control cycles             |
| Processing Capacity | Adequate computational resources  | Support for complex algorithms    |
| Sensor Quality      | Accurate and timely measurements  | Improved decision reliability     |
| Actuator Response   | Rapid and precise physical action | Better process control            |
| Network Performance | Low-latency communication         | Improved distributed coordination |

| Performance Factor | Key Requirement                  | Management Implication            |
|--------------------|----------------------------------|-----------------------------------|
| Fault Tolerance    | Recovery from component failures | Greater process continuity        |
| Cybersecurity      | Secure devices and communication | Reduced operational vulnerability |
| Energy Efficiency  | Optimized power consumption      | Sustainable embedded operation    |
| Scalability        | Support for additional devices   | Easier system expansion           |
| Maintainability    | Modular hardware and software    | Reduced lifecycle costs           |

Table 2 indicates that engineering process performance depends on the interaction of computational, physical, communication, and management factors. High processor performance alone does not guarantee effective real-time control.

Timing determinism, sensor quality, actuator responsiveness, network reliability, security, and maintainability must operate together. Consequently, engineering process managers should evaluate embedded control architectures using multidimensional performance criteria rather than focusing exclusively on computational speed.

## 6. Discussion

### 6.1 Operational Efficiency and Process Stability

Real-time embedded control technologies can improve operational efficiency by reducing delays between process observation and corrective action. Continuous feedback allows systems to maintain operating parameters within desired ranges, reducing unnecessary fluctuations and improving process consistency. Automated responses can also decrease dependence on manual adjustments, particularly in repetitive or high-speed engineering operations. These characteristics support more predictable production and reduce the probability of performance degradation caused by delayed intervention.

Process stability is equally important for equipment longevity and product quality. Excessive vibration, temperature variation, load instability, or inappropriate operating conditions can accelerate component degradation. Embedded monitoring systems can identify these conditions and trigger corrective responses before they develop into major failures. Consequently, real-time embedded control can support both immediate process optimization and longer-term asset management.

### 6.2 Integration with Intelligent Engineering Management

The convergence of embedded control with artificial intelligence, edge computing, and industrial data analytics is creating increasingly intelligent engineering environments. Embedded devices can generate high-frequency operational information that can be analyzed locally or transferred to supervisory platforms. Intelligent algorithms can then identify patterns, estimate system conditions, and support optimization decisions. This integration creates a continuous relationship between physical processes and computational intelligence.

However, effective integration requires clear separation between safety-critical control functions and computationally intensive analytics. Control tasks must remain deterministic even when intelligent models are executing simultaneously. A layered architecture can address this issue by assigning time-

critical functions to dedicated processing resources while using edge or supervisory computing for higher-level analytics. Such an approach enables intelligent management without compromising fundamental real-time requirements.

### 6.3 Reliability, Security, and Lifecycle Management

Reliability is a central requirement for embedded control systems because failure may directly affect physical processes. Hardware degradation, software defects, communication interruptions, sensor errors, and configuration problems can compromise system performance. Redundant components, watchdog mechanisms, diagnostics, fail-safe operation, and systematic maintenance can improve reliability. Lifecycle planning should also account for component obsolescence and software updates because embedded systems may remain operational for many years.

Cybersecurity has become increasingly important as embedded controllers become connected to industrial networks. Unauthorized access or malicious manipulation can influence physical processes and create significant operational consequences. Secure authentication, encrypted communication, network segmentation, secure firmware, access management, and continuous monitoring should therefore be integrated into system architecture. Security cannot be treated as a separate feature added after deployment; it must be incorporated throughout the engineering lifecycle.

## 7. Challenges

### 7.1 Computational and Timing Constraints

Real-time embedded controllers frequently operate with limited processing, memory, energy, and storage resources. Increasing algorithmic complexity can place additional demands on these resources. Intelligent models, advanced diagnostics, and data-intensive applications may require computational capabilities beyond those available on conventional embedded platforms. Engineers must therefore optimize software, select suitable hardware, and prioritize tasks according to their temporal importance.

Timing constraints present another major challenge. A control system may become unstable or ineffective if critical tasks exceed their deadlines. Communication delays, processor overload, interrupt conflicts, and poorly designed scheduling mechanisms can introduce temporal uncertainty. Maintaining deterministic performance becomes increasingly difficult as the number of connected devices and software functions increases.

### 7.2 Interoperability and Integration Complexity

Engineering organizations frequently operate heterogeneous equipment developed by different vendors and based on different technologies. Integrating these devices into a unified real-time control environment can be challenging because communication interfaces, data formats, protocols, and configuration methods may differ. Legacy equipment may also lack the interfaces required for modern networked control systems.

Integration complexity increases further when embedded controllers are connected to enterprise systems, cloud platforms, analytics applications, and digital twins. Data must be exchanged consistently without compromising real-time performance. Standardized communication architectures, modular interfaces, middleware, and well-defined system boundaries can help address these problems, but successful integration still requires careful engineering planning.

### **7.3 Cybersecurity and Maintenance**

Connected embedded control systems introduce additional cybersecurity risks. Devices that were historically isolated from external networks are increasingly connected to industrial communication infrastructures. Vulnerabilities in firmware, communication interfaces, authentication mechanisms, and update procedures can create opportunities for unauthorized manipulation. Security mechanisms must therefore be designed without introducing excessive processing or communication delays.

Maintenance presents a parallel challenge because embedded systems may be deployed in environments where physical replacement is costly or difficult. Software updates, hardware obsolescence, sensor degradation, and evolving security requirements can affect system lifecycle performance. Modular designs, remote diagnostics, secure update mechanisms, and lifecycle-oriented engineering practices can improve maintainability while reducing operational disruption.

## **8. Future Research**

### **8.1 Edge Intelligence for Autonomous Control**

Future research should investigate more efficient methods for integrating machine learning with real-time embedded controllers. Lightweight models, hardware acceleration, and optimized inference mechanisms could allow embedded platforms to perform increasingly sophisticated analysis without compromising deterministic control. Research should also examine methods for dynamically balancing computational workloads between embedded processors, edge devices, and centralized platforms.

Another important direction is autonomous decision-making. Embedded controllers may increasingly identify operating states, predict process deviations, and select corrective actions with limited human intervention. Research should focus on ensuring that such autonomous behavior remains explainable, verifiable, safe, and consistent with real-time constraints.

### **8.2 Digital Twins and Predictive Process Management**

The integration of embedded control with digital twins represents another promising research area. Real-time information collected by embedded controllers can be used to update virtual representations of engineering processes. These digital models can support simulation, fault prediction, process optimization, and maintenance planning. Future studies should investigate efficient synchronization methods that maintain useful digital representations without imposing excessive communication and computational overhead.

Predictive management can also extend embedded control beyond immediate response. By analyzing historical and current operating data, systems may anticipate equipment degradation or process disturbances before they become critical. Research should explore how predictive models can be safely integrated into real-time control loops while preserving deterministic behavior.

### **8.3 Secure and Sustainable Embedded Control**

Future embedded control architectures should increasingly address cybersecurity and energy efficiency simultaneously. Secure communication, trusted execution, lightweight cryptography, and continuous device authentication require computational resources that may affect energy consumption and real-time performance. Research should therefore investigate security techniques specifically optimized for resource-constrained real-time environments.

Sustainable embedded control also deserves greater attention. Energy-aware scheduling, low-power processors, adaptive operating modes, and efficient communication mechanisms can reduce the energy footprint of distributed control infrastructure. Combining security, intelligence, reliability, and energy efficiency could support the development of next-generation embedded engineering systems suitable for large-scale industrial deployment.

## 9. Limitations

This study is primarily analytical and conceptual and therefore does not present experimental measurements from a specific industrial deployment. The performance of real-time embedded control systems can vary substantially according to processor architecture, software design, control algorithms, communication protocols, environmental conditions, and application requirements. Consequently, the identified benefits should be interpreted as general engineering implications rather than universally measured performance outcomes.

Another limitation concerns the diversity of engineering applications. Manufacturing systems, robotics, energy infrastructure, transportation platforms, and process industries have different timing, reliability, safety, and computational requirements. A control architecture that performs effectively in one application may require substantial modification in another. Future empirical research should therefore evaluate the proposed management perspective across multiple industrial environments using standardized performance metrics and controlled experimental conditions.

## 10. Conclusion

Real-time embedded control technologies provide an important foundation for modern engineering process management by connecting physical processes with rapid computational decision-making. Their ability to continuously sense operating conditions, execute control algorithms, and activate physical responses within defined temporal constraints enables engineering systems to operate with greater responsiveness and consistency. Embedded controllers can improve process monitoring, equipment coordination, fault detection, resource utilization, and operational stability while reducing dependence on delayed manual intervention.

The integration of embedded control with industrial communication networks, edge computing, artificial intelligence, and predictive analytics is expanding its role from basic machine control toward intelligent engineering management. Distributed embedded architectures can support scalable coordination across multiple process units, while local intelligence can reduce communication delays and support faster decisions. At the same time, successful deployment requires careful attention to timing determinism, interoperability, cybersecurity, computational resources, reliability, and lifecycle maintenance.

Future engineering environments are likely to depend increasingly on secure, intelligent, energy-efficient, and interconnected embedded control architectures. Technologies such as lightweight machine learning, digital twins, edge intelligence, secure communication, and adaptive control can further strengthen the ability of embedded systems to manage complex and dynamic processes. The long-term value of these technologies will depend on integrating technological advancement with sound engineering management principles. A balanced architecture that combines real-time responsiveness, intelligent decision support, reliability, security, and sustainability can provide a strong foundation for next-generation engineering process management.

**References**

1. Åström, K. J., & Murray, R. M. (2008). Feedback systems: An introduction for scientists and engineers. Princeton University Press. <https://fbsbook.org/>
2. Wang, J. (2017). Real-time embedded systems. Wiley. <https://doi.org/10.1002/9781119420712>
3. Kopetz, H., & Steiner, W. (2022). Real-time systems: Design principles for distributed embedded applications (3rd ed.). Springer. <https://doi.org/10.1007/978-3-031-11992-7>
4. Fan, X. (2015). Real-time embedded systems: Design principles and engineering practices. Newnes.
5. Buttazzo, G. C. (2011). Hard real-time computing systems: Predictable scheduling algorithms and applications (3rd ed.). Springer. <https://doi.org/10.1007/978-1-4614-0676-1>
6. Burns, A., & Wellings, A. (2009). Real-time systems and programming languages: Ada, real-time Java and C/real-time POSIX (4th ed.). Addison-Wesley.
7. Liu, J. W. S. (2000). Real-time systems. Prentice Hall.
8. Liu, C. L., & Layland, J. W. (1973). Scheduling algorithms for multiprogramming in a hard-real-time environment. Journal of the ACM, 20(1), 46–61. <https://doi.org/10.1145/321738.321743>
9. Stankovic, J. A. (1988). Misconceptions about real-time computing: A serious problem for next-generation systems. Computer, 21(10), 10–19. <https://doi.org/10.1109/2.7053>
10. Lee, E. A., & Seshia, S. A. (2017). Introduction to embedded systems: A cyber-physical systems approach (2nd ed.). MIT Press. <https://LeeSeshia.org>
11. Marwedel, P. (2018). Embedded system design: Embedded systems foundations of cyber-physical systems, and the Internet of Things (3rd ed.). Springer. <https://doi.org/10.1007/978-3-319-56045-8>
12. Murti, K. C. S. (2022). Design principles for embedded systems. Springer. <https://doi.org/10.1007/978-981-16-3293-8>
13. Åström, K. J., & Wittenmark, B. (1997). Computer-controlled systems: Theory and design (3rd ed.). Prentice Hall.
14. Franklin, G. F., Powell, J. D., & Workman, M. L. (1998). Digital control of dynamic systems (3rd ed.). Addison-Wesley.
15. Ogata, K. (2010). Modern control engineering (5th ed.). Prentice Hall.
16. Seborg, D. E., Edgar, T. F., Mellichamp, D. A., & Doyle, F. J., III. (2016). Process dynamics and control (4th ed.). Wiley.
17. Åström, K. J., & Hägglund, T. (1995). PID controllers: Theory, design, and tuning (2nd ed.). Instrument Society of America.
18. Monostori, L. (2014). Cyber-physical production systems: Roots, expectations and R&D challenges. Procedia CIRP, 17, 9–13. <https://doi.org/10.1016/j.procir.2014.03.115>
19. Sisinni, E., Saifullah, A., Han, S., Jennehag, U., & Gidlund, M. (2018). Industrial Internet of Things: Challenges, opportunities, and directions. IEEE Transactions on Industrial Informatics, 14(11), 4724–4734. <https://doi.org/10.1109/TII.2018.2852491>
20. 0. IEEE Industrial Electronics Magazine, 11(1), 17– [1] 27. <https://doi.org/10.1109/MIE.2017.2649104>