

Nanotechnology-Based Materials for Sustainable Engineering Development

Dr. Maximilian Weber

Professor, Karlsruhe Institute of Technology (KIT), Germany

Abstract

The increasing demand for resource-efficient, durable, and environmentally responsible engineering solutions has intensified interest in advanced materials capable of improving performance while reducing environmental impacts. Nanotechnology-based materials offer significant opportunities in this context because nanoscale engineering can modify mechanical, thermal, electrical, optical, chemical, and surface properties beyond those achievable through conventional material design. This paper examines the application of nanotechnology-based materials for sustainable engineering development, with emphasis on construction, energy, transportation, environmental systems, and advanced manufacturing. The study develops a conceptual framework for evaluating nanomaterials according to functional performance, resource efficiency, durability, energy requirements, environmental implications, and lifecycle considerations. Nanoparticles, nanocomposites, nano-engineered coatings, carbon-based nanomaterials, and other nanoscale structures are considered as potential components of sustainable engineering systems.

The analysis demonstrates that nanotechnology can improve material strength, reduce material consumption, enhance durability, increase energy-conversion efficiency, and enable functional surfaces with specialized properties. Nanomaterials can also support sustainable infrastructure through improved cementitious materials, protective coatings, lightweight composites, filtration systems, and energy-storage components. However, sustainable deployment is constrained by production costs, energy-intensive synthesis processes, material dispersion challenges, uncertain environmental impacts, occupational exposure concerns, scalability, and difficulties associated with end-of-life management. A sustainable nanomaterials strategy therefore requires lifecycle assessment rather than evaluation based solely on technical performance. Future research should emphasize low-energy synthesis, bio-based nanomaterials, circular material systems, multifunctional nanocomposites, safer-by-design approaches, and standardized environmental assessment. Nanotechnology-based materials can contribute substantially to sustainable engineering development when nanoscale innovation is combined with lifecycle thinking, responsible manufacturing, resource efficiency, and appropriate environmental and safety evaluation.

Keywords: Nanotechnology, Nanomaterials, Sustainable Engineering, Nanocomposites, Advanced Materials, Resource Efficiency, Green Engineering, Lifecycle Assessment

1. Introduction

Sustainable engineering requires the development of technologies and materials that satisfy functional requirements while minimizing resource consumption and environmental impacts. Conventional

materials remain essential to infrastructure, manufacturing, transportation, energy, and industrial systems, but increasing demands for durability, lightweight design, energy efficiency, and reduced environmental footprints have encouraged researchers to explore advanced material technologies. Nanotechnology provides a promising pathway because controlling material structures at the nanoscale can produce properties that differ substantially from those of bulk materials.

Nanotechnology-based materials include nanoparticles, nanocomposites, nanotubes, nanofibers, nanosheets, nanostructured coatings, and other engineered nanoscale structures. Their distinctive characteristics can result from high surface-area-to-volume ratios, quantum effects, interfacial phenomena, and controlled nanoscale architectures. These properties can be exploited to improve strength, stiffness, thermal stability, electrical conductivity, corrosion resistance, catalytic activity, optical performance, and surface functionality. Consequently, nanomaterials have become relevant to numerous engineering applications ranging from construction materials to energy systems and environmental technologies.

The contribution of nanotechnology to sustainability is particularly important because material performance can influence the entire lifecycle of an engineering system. A material with greater durability may reduce replacement frequency, while a lightweight material can reduce transportation or operational energy requirements. Nanotechnology can also enable high-performance coatings that protect infrastructure against corrosion and degradation. In energy applications, nanoscale materials can enhance electrode performance, catalytic activity, photovoltaic functionality, and energy-storage capacity. These applications demonstrate that nanoscale material engineering can influence both resource efficiency and system performance.

However, improved functional performance does not automatically mean improved sustainability. Some nanomaterials require complex synthesis processes, specialized equipment, high temperatures, or substantial energy inputs. The environmental behavior of engineered nanoparticles may also differ from conventional materials, creating concerns regarding toxicity, persistence, transport, and exposure. Consequently, sustainable nanotechnology requires consideration of material production, application, use-phase performance, recovery, recycling, and disposal rather than focusing only on improvements in engineering properties.

The integration of nanotechnology with sustainable engineering therefore requires an interdisciplinary approach involving materials science, chemical engineering, environmental engineering, manufacturing, energy systems, and lifecycle assessment. Engineering decisions must consider the balance between performance improvements and the environmental costs associated with producing and managing nanoscale materials. A lifecycle-oriented perspective can help identify applications in which nanotechnology provides genuine sustainability benefits rather than simply higher technical performance.

This paper examines nanotechnology-based materials as a pathway for sustainable engineering development. It reviews major nanomaterial categories, their engineering applications, and their contributions to resource efficiency and system performance. The paper further analyzes the relationship between nanoscale material characteristics and sustainable engineering outcomes, identifies major implementation challenges, and proposes future research directions emphasizing safer production, circularity, energy efficiency, and lifecycle sustainability.

2. Objectives

2.1 Evaluation of Nanotechnology-Based Engineering Materials

The first objective is to examine the functional capabilities of nanotechnology-based materials for sustainable engineering applications. Particular attention is given to nanocomposites, carbon-based materials, nanoparticles, nanocoatings, and nano-engineered construction materials. The objective evaluates how nanoscale modification can improve strength, durability, thermal performance, conductivity, corrosion resistance, and other engineering characteristics.

2.2 Assessment of Sustainability Contributions

The second objective is to assess how nanotechnology-based materials can contribute to resource efficiency, energy conservation, durability, waste reduction, and lifecycle sustainability. The study also considers the environmental and manufacturing challenges associated with nanomaterial production and identifies strategies for balancing advanced material performance with responsible engineering development.

3. Review of Literature

3.1 Nanomaterials and Advanced Engineering Performance

Nanomaterials have attracted considerable attention because nanoscale structures can produce unique physical and chemical characteristics. Nanoparticles can modify the microstructure of conventional materials, while nanocomposites can combine nanoscale reinforcement with established engineering matrices. Carbon nanotubes, graphene-based materials, nano-silica, metal oxides, and other nanoscale constituents have been investigated for applications requiring improved mechanical, electrical, thermal, and surface properties.

In structural and construction engineering, nanoscale additives can influence cement hydration, pore structure, strength development, and durability. Nano-silica, for example, has been extensively investigated as a supplementary material capable of modifying cementitious microstructures. Nanotechnology has also enabled the development of protective coatings with enhanced resistance to corrosion, wear, and environmental degradation. These improvements can increase service life and potentially reduce the material and energy requirements associated with replacement.

3.2 Nanocomposites for Sustainable Engineering

Nanocomposites combine nanoscale reinforcement with polymeric, ceramic, metallic, or cementitious matrices. Their engineering significance arises from the ability of nanoscale reinforcement to alter interfacial behavior and improve mechanical or functional properties at relatively low concentrations. Carbon nanotubes, graphene derivatives, nanoclays, and nanoscale metal oxides have been explored in different composite systems.

Lightweight nanocomposites can contribute to sustainable engineering by reducing structural mass while maintaining required mechanical performance. Reduced mass can influence transportation, construction, and operational energy requirements. Nanocomposites may also provide multifunctional performance, such as simultaneous structural reinforcement and electrical conductivity. Nevertheless, the sustainability of nanocomposites depends on manufacturing energy, raw-material sourcing, process complexity, and end-of-life recyclability.

3.3 Nanotechnology in Energy and Environmental Systems

Nanotechnology has significant potential in energy engineering because nanoscale materials can provide high surface areas and controlled electronic or catalytic properties. Nanostructured electrodes can improve electrochemical reactions in batteries and other energy-storage technologies. Nanomaterials can also support photovoltaic devices, fuel cells, hydrogen technologies, and catalytic systems by improving charge transport, reaction kinetics, or surface activity.

Environmental engineering represents another major application area. Nanostructured membranes and adsorbents can support water purification and contaminant removal, while photocatalytic nanomaterials can contribute to pollutant degradation. These applications can improve treatment efficiency and potentially reduce material or energy consumption. However, potential release of nanoparticles into environmental systems requires careful assessment and appropriate containment strategies.

3.4 Lifecycle Sustainability of Nanomaterials

Lifecycle sustainability requires assessment of all major stages of a material's existence, including raw-material extraction, synthesis, processing, transportation, use, recovery, and disposal. Nanomaterials can deliver sustainability benefits during the use phase, but these benefits may be offset when their production requires substantial energy or hazardous chemicals. Therefore, lifecycle assessment is an important tool for evaluating whether a nanoscale material provides a net environmental advantage.

The sustainability assessment of nanomaterials is complicated by limited data concerning large-scale manufacturing and end-of-life behavior. Laboratory-scale synthesis does not always represent industrial production conditions. Furthermore, nanoscale properties can change environmental interactions compared with bulk materials. Sustainable engineering should therefore incorporate environmental risk assessment, exposure analysis, resource efficiency, and circularity alongside conventional engineering performance metrics.

4. Methodology

4.1 Research Design

This study adopts a conceptual and analytical research design to evaluate nanotechnology-based materials from a sustainable engineering perspective. The approach synthesizes established knowledge regarding nanoscale material properties, nanocomposite engineering, energy applications, construction materials, environmental technologies, and lifecycle sustainability. The study focuses on the relationship between nanoscale material modification and engineering outcomes such as durability, resource efficiency, energy performance, and functional improvement.

The analytical framework considers sustainable engineering as a multidimensional objective rather than a single environmental indicator. Material performance, production requirements, service life, resource consumption, environmental impacts, and end-of-life management are treated as interconnected factors. This approach allows nanomaterials to be assessed according to their contribution to the overall performance of engineering systems rather than solely according to laboratory-scale material properties.

4.2 Material and Sustainability Assessment Framework

The proposed framework categorizes nanotechnology-based materials according to their engineering functions and sustainability contributions. Materials are examined based on their ability to improve structural performance, reduce mass, increase durability, improve energy efficiency, or support environmental treatment. Production and lifecycle factors are also considered to avoid evaluating sustainability exclusively from the use-phase perspective.

The main assessment dimensions include:

- **Material performance:** Strength, stiffness, conductivity, thermal stability, and functional properties.
- **Durability:** Resistance to corrosion, wear, cracking, degradation, and environmental exposure.
- **Resource efficiency:** Reduction in material quantities or replacement requirements.
- **Energy performance:** Influence on production and operational energy consumption.
- **Environmental compatibility:** Potential impacts during production, use, and disposal.
- **Manufacturing feasibility:** Scalability, processing complexity, and cost.
- **Circularity:** Recovery, recycling, reuse, and end-of-life management.

4.3 Analytical Evaluation

The analytical evaluation compares major categories of nanotechnology-based materials according to their potential engineering functions and sustainability contributions. Mechanical enhancement, durability improvement, energy efficiency, environmental treatment, and multifunctionality are considered major performance dimensions. The analysis recognizes that the same nanomaterial can produce different sustainability outcomes depending on its concentration, manufacturing route, matrix, application, and lifecycle.

The study therefore emphasizes a balanced assessment between technical benefits and environmental requirements. A material is considered promising for sustainable engineering when its functional advantages can provide meaningful lifecycle benefits without creating disproportionate environmental, health, energy, or economic burdens. This approach encourages engineering decisions based on total system performance rather than isolated nanoscale characteristics.

5. Analysis

5.1 Nanotechnology-Based Materials and Engineering Applications

Nanotechnology can modify conventional engineering materials by introducing nanoscale constituents or creating controlled nanoscale surface structures. Different nanomaterials provide different functional advantages.

Table 1: Nanotechnology-Based Materials for Sustainable Engineering Applications

Nanomaterial	Major Engineering Application	Functional Contribution	Sustainability Potential
Nano-silica	Cement and concrete	Improved strength and microstructure	Longer service life
Graphene	Composites and energy systems	High strength and conductivity	Lightweight multifunctional systems

Nanomaterial	Major Engineering Application	Functional Contribution	Sustainability Potential
Carbon nanotubes	Structural composites	Mechanical reinforcement	Reduced material weight
Nanoclays	Polymer composites	Barrier and mechanical properties	Improved durability
Metal oxide nanoparticles	Coatings and environmental systems	Catalytic and protective functions	Reduced degradation
Nanocellulose	Bio-based composites	Lightweight reinforcement	Renewable material systems
Nanostructured coatings	Infrastructure and machinery	Corrosion and wear protection	Extended component life
Nanomembranes	Water treatment	Selective filtration	Efficient resource treatment

Interpretation: The table demonstrates that nanotechnology can contribute to sustainability through multiple engineering pathways. Some materials improve mechanical performance, while others provide durability, environmental treatment, or energy-related functionality.

Extending service life is particularly important because durable engineering materials can reduce replacement frequency and associated resource consumption. However, the sustainability contribution of each material depends on its production process, quantity used, application conditions, and end-of-life pathway.

5.2 Sustainability Performance of Nanotechnology-Based Materials

Nanotechnology can support sustainable engineering by improving the performance of existing materials rather than requiring complete replacement with entirely new material systems.

Small quantities of nanoscale additives can sometimes modify material properties significantly. This can enable lightweight structures, durable surfaces, efficient energy components, and high-performance environmental treatment systems.

Table 2: Sustainability Contributions and Engineering Considerations

Sustainability Dimension	Nanotechnology Contribution	Potential Engineering Benefit	Major Consideration
Material Efficiency	Property enhancement at low additive levels	Reduced material demand	Dispersion and processing
Durability	Protective nanoscale structures	Longer service life	Long-term stability

Sustainability Dimension	Nanotechnology Contribution	Potential Engineering Benefit	Major Consideration
Lightweight Design	High-performance nanocomposites	Lower structural mass	Manufacturing complexity
Energy Efficiency	Improved functional materials	Lower operational energy	Production energy
Waste Reduction	Longer component lifetime	Fewer replacements	End-of-life recovery
Water Treatment	Nanostructured membranes and adsorbents	Improved purification	Nanoparticle release
Corrosion Protection	Nano-engineered coatings	Reduced degradation	Coating durability
Circularity	Potential material recovery strategies	Resource conservation	Recycling infrastructure

Interpretation: The table indicates that nanotechnology can contribute to several dimensions of sustainable engineering, particularly material efficiency, durability, lightweight design, and energy-related performance. Nevertheless, each potential benefit is accompanied by an engineering consideration.

Sustainability cannot therefore be established solely by demonstrating improved material properties. Manufacturing energy, long-term stability, nanoparticle release, recyclability, and recovery must also be considered when evaluating the overall lifecycle performance of nanotechnology-based materials.

6. Discussion

6.1 Enhancing Material Efficiency and Durability

Nanotechnology can improve material efficiency by modifying conventional materials at relatively small scales. Nanoscale reinforcement can strengthen matrix materials, improve interfacial bonding, and modify microstructural characteristics. These effects can allow engineers to achieve desired performance with reduced material quantities in selected applications. Increased strength and durability can also reduce the frequency of repair and replacement, contributing to lower lifecycle resource consumption.

Durability improvements are particularly valuable in infrastructure and industrial applications where material deterioration can generate substantial economic and environmental costs. Nano-engineered coatings can provide protective barriers against corrosion, moisture, abrasion, and chemical exposure. By extending service life, such technologies can reduce the need for new raw materials and minimize construction or manufacturing activities associated with component replacement.

6.2 Supporting Energy and Environmental Engineering

Nanotechnology-based materials have become important in energy engineering because nanoscale architectures can influence charge transport, catalytic reactions, and surface interactions. Nanostructured electrodes can improve energy-storage performance, while nanoscale catalytic materials can increase reaction efficiency. Such improvements can support the development of more compact and efficient energy systems.

Environmental applications provide another pathway toward sustainability. Nanostructured membranes, adsorbents, and photocatalytic materials can support water purification and pollutant removal. However, environmental applications require careful control of nanoparticle release and lifecycle behavior. A treatment technology should not create secondary environmental risks that outweigh its purification benefits. Consequently, environmental containment and recovery should be integrated into nanotechnology-based treatment designs.

6.3 Lifecycle Sustainability and Responsible Engineering

The sustainability of nanotechnology depends strongly on manufacturing conditions. Some nanomaterials can require complex synthesis routes, specialized chemicals, high temperatures, or significant energy inputs. If these requirements are overlooked, a material that performs efficiently during operation may still have a high environmental footprint during production.

Responsible engineering should therefore apply lifecycle assessment to nanotechnology-based materials. Engineers should evaluate raw-material sourcing, synthesis energy, processing requirements, service-life benefits, environmental exposure, recovery, and disposal. Safer-by-design approaches can further reduce environmental and occupational risks by considering toxicity and exposure during material development. This integrated perspective is essential for ensuring that nanotechnology contributes to genuine sustainability rather than only incremental performance improvement.

7. Challenges

One of the major challenges in sustainable nanomaterial development is the scalability of laboratory processes. Many promising nanomaterials are initially developed using small-scale synthesis methods that may not translate efficiently into industrial production. Manufacturing costs, energy requirements, material uniformity, dispersion, and quality control can become significant barriers at larger scales. In nanocomposites, achieving consistent dispersion of nanoparticles throughout a matrix can also be technically difficult and may influence final material performance.

Environmental and health considerations create another challenge. Engineered nanoparticles may exhibit chemical and physical behaviors different from their bulk counterparts. Potential occupational exposure during manufacturing and possible environmental release during use or disposal require appropriate risk assessment. The long-term behavior of some nanomaterials remains insufficiently understood, particularly under complex environmental conditions. These uncertainties can complicate regulatory approval and widespread engineering adoption.

End-of-life management represents an additional challenge. Many nanocomposites combine multiple materials, making separation and recycling difficult. Recovery systems for nanoscale constituents are still developing, and conventional recycling processes may not be designed to manage engineered nanoparticles. Sustainable nanotechnology therefore requires consideration of recyclability and material recovery during initial product design rather than treating disposal as a final-stage problem.

8. Future Research

8.1 Low-Energy and Bio-Based Nanomaterial Synthesis

Future research should emphasize synthesis methods that reduce energy consumption, hazardous chemical use, and waste generation. Green synthesis approaches using biological materials, renewable feedstocks, and environmentally compatible processing conditions could improve the sustainability profile of nanomaterials. Bio-based nanomaterials such as nanocellulose also offer opportunities for combining nanoscale functionality with renewable resource availability.

8.2 Multifunctional and Circular Nanocomposites

Future engineering materials are likely to combine several functions within a single material system. Multifunctional nanocomposites could simultaneously provide mechanical reinforcement, electrical conductivity, thermal management, sensing, or protective functionality. Such integration may reduce the number of separate material components required in engineering systems. Research should also prioritize designs that facilitate disassembly, recovery, reuse, and recycling.

8.3 Safer-by-Design Nanotechnology

Safer-by-design approaches should become an important component of future nanomaterial research. Instead of assessing environmental and health risks after material development, researchers should incorporate safety considerations during material selection and synthesis. Future studies should develop standardized methods for evaluating nanoparticle release, environmental persistence, occupational exposure, and end-of-life behavior. Combining these approaches with lifecycle assessment can provide more reliable evidence regarding the true sustainability of nanotechnology-based engineering materials.

9. Limitations

This study is primarily conceptual and does not include experimental fabrication or field-scale testing of specific nanotechnology-based materials. Consequently, the reported sustainability contributions represent analytical assessments rather than results from a controlled experimental program. Actual performance can vary according to nanoparticle concentration, material matrix, manufacturing process, environmental conditions, and application-specific requirements.

Another limitation is the considerable diversity of nanomaterial systems. Different nanomaterials exhibit substantially different production requirements, environmental behaviors, costs, and recycling possibilities. Therefore, conclusions regarding one nanomaterial should not automatically be generalized to all nanoscale materials. Additional lifecycle studies and long-term field investigations are required to establish comparative sustainability performance across different engineering applications.

10. Conclusion

Nanotechnology-based materials provide significant opportunities for advancing sustainable engineering by improving material performance, durability, resource efficiency, energy-related functionality, and environmental treatment capabilities. Nanoscale engineering enables the modification of conventional materials and the development of advanced composites, coatings, membranes, and energy materials with specialized properties. These improvements can contribute to longer service life, reduced material requirements, lighter structures, and more efficient engineering systems.

The analysis demonstrates that the sustainability contribution of nanotechnology must be evaluated across the complete lifecycle of a material. Improved engineering performance alone does not guarantee environmental sustainability. Energy-intensive synthesis, hazardous processing chemicals, occupational exposure, nanoparticle release, limited recyclability, and end-of-life challenges may reduce or offset the benefits achieved during material use. Lifecycle assessment and safer-by-design principles are therefore essential components of responsible nanotechnology development.

Future sustainable engineering research should emphasize low-energy synthesis, renewable and bio-based nanomaterials, multifunctional composites, circular material design, and standardized environmental assessment. Greater integration between materials science, manufacturing engineering, environmental engineering, and lifecycle analysis can improve the reliability of sustainability evaluations. When nanoscale innovation is developed together with resource efficiency, safety, circularity, and lifecycle thinking, nanotechnology-based materials can become an important technological foundation for more durable, efficient, and environmentally responsible engineering systems.

References

1. Hussein, E. B., Rasheed, F. A., Mohammed, A. S., & Kayani, K. F. (2025). Emerging nanotechnology approaches for sustainable water treatment and heavy metals removal: A comprehensive review. *RSC Advances*, 15(48), 41061–41107. <https://doi.org/10.1039/D5RA06914A>
2. Ijimdiya, S. J., Ijimdiya, R. U., Ajala, A., & Abdullahi, N. I. (2025). A comprehensive review of the innovations, applications, and future prospects of nanomaterials in water treatment. *Nano-Structures & Nano-Objects*, 44, 101583. <https://doi.org/10.1016/j.nanoso.2025.101583>
3. Khedulkar, A. P., Bobade, R. G., Doong, R.-A., Pandit, B., Ky, N. M., Ambare, R. C., Hoang, T.-D., & Kumar, K. J. (2025). Bio-based nanomaterials as effective, friendly solutions and their applications for protecting water, soil, and air. *Materials Today Chemistry*, 46, 102688. <https://doi.org/10.1016/j.mtchem.2025.102688>
4. Abu Elezz, M., Aboeleneen, N. M., Abd-ElMonem, N. M., & Sorour, F. H. (2025). A comprehensive review: Functional nanomaterials for renewable energy: Innovations, applications, and sustainable strategies. *Next Materials*, 9, 101001. <https://doi.org/10.1016/j.nxmte.2025.101001>
5. Sun, Z., & Wang, R. (2025). Emerging nanomaterials for energy storage: A critical review of metrics, hotspots, and future directions. *Renewable and Sustainable Energy Reviews*, 224, 116093. <https://doi.org/10.1016/j.rser.2025.116093>
6. Khan, H., Piccolella, S., & Pacifico, S. (2025). Harnessing plant extracts for green nanoparticle synthesis: Toward a sustainable future. *Materials Today Sustainability*, 31, 101195. <https://doi.org/10.1016/j.mtsust.2025.101195>
7. Firoozi, A. A., Firoozi, A. A., & Maghami, M. R. (2025). Transformative impacts of nanotechnology on sustainable construction: A comprehensive review. *Results in Engineering*, 26, 104973. <https://doi.org/10.1016/j.rineng.2025.104973>
8. Pandit, S., Yadav, N., Sharma, P., Prakash, A., & Kuila, A. (2025). Life cycle assessment and techno-economic analysis of nanotechnology-based wastewater treatment: Status, challenges and future perspectives. *Journal of the Taiwan Institute of Chemical Engineers*, 166, 105567. <https://doi.org/10.1016/j.jtice.2024.105567>

9. Gilbertson, L. M., Eckelman, M. J., & Theis, T. L. (2024). Leveraging engineered nanomaterials to support material circularity. *Environmental Science: Nano*, 11(7), 2885–2893. <https://doi.org/10.1039/D4EN00110A>
10. Kumar, A., Tyagi, P. K., Tyagi, S., & Ghorbanpour, M. (2024). Integrating green nanotechnology with sustainable development goals: A pathway to sustainable innovation. *Discover Sustainability*, 5, Article 364. <https://doi.org/10.1007/s43621-024-00610-x>
11. Khosravi, A., Zarepour, A., Irvani, S., Varma, R. S., & Zarrabi, A. (2024). Sustainable synthesis: Natural processes shaping the nanocircular economy. *Environmental Science: Nano*, 11, 688–707. <https://doi.org/10.1039/D3EN00973D>
12. Huang, X., Auffan, M., Eckelman, M. J., Elimelech, M., Kim, J.-H., Rose, J., Zuo, K., Li, Q., & Alvarez, P. J. J. (2024). Trends, risks and opportunities in environmental nanotechnology. *Nature Reviews Earth & Environment*, 5, 572–587. <https://doi.org/10.1038/s43017-024-00567-5>
13. Gohar, O., Khan, M. Z., Bibi, I., Bashir, N., Tariq, U., Bakhtiar, M., Karim, M. R. A., Ali, F., Hanif, M. B., & Motola, M. (2024). Nanomaterials for advanced energy applications: Recent advancements and future trends. *Materials & Design*, 241, 112930. <https://doi.org/10.1016/j.matdes.2024.112930>
14. Mushtaq, F., Wang, L., Tu, H., Wang, J., Wang, Y., Sun, A., Zhu, F., Wang, M., Zhang, Y., & Liu, M. (2024). Status of fly ash-derived sustainable nanomaterials for batteries and supercapacitors. *Sustainable Energy & Fuels*, 8, 2798–2823. <https://doi.org/10.1039/D4SE00354C>
15. Osman, A. I., Zhang, Y., Farghali, M., Rashwan, A. K., Eltaweil, A. S., Abd El-Monaem, E. M., Mohamed, I. M. A., Badr, M. M., Ihara, I., Rooney, D. W., & Yap, P.-S. (2024). Synthesis of green nanoparticles for energy, biomedical, environmental, agricultural, and food applications: A review. *Environmental Chemistry Letters*, 22, 841–887. <https://doi.org/10.1007/s10311-023-01682-3>
16. Saha, A., Mishra, P., Biswas, G., & Bhakta, S. (2024). Greening the pathways: A comprehensive review of sustainable synthesis strategies for silica nanoparticles and their diverse applications. *RSC Advances*, 14(16), 11197–11216. <https://doi.org/10.1039/D4RA01047G>
17. Gadore, V., Mishra, S. R., Singh, A. K., & Ahmaruzzaman, M. (2024). Advances in boron nitride-based nanomaterials for environmental remediation and water splitting: A review. *RSC Advances*, 14(5), 3447–3472. <https://doi.org/10.1039/D3RA08323C>
18. Arif, M. D., Hoque, M. E., Rahman, M. Z., & Shafayat, M. U. (2024). Emerging directions in green nanomaterials: Synthesis, physicochemical properties and applications. *Materials Today Communications*, 40, 109335. <https://doi.org/10.1016/j.mtcomm.2024.109335>
19. Rajput, P., Kumar, P., Priya, A. K., Kumari, S., Shiade, S. R. G., Rajput, V. D., Fathi, A., Pradhan, A., Sarfraz, R., Sushkova, S., Mandzhieva, S., Minkina, T., Soldatov, A., Wong, M. H., & Rensing, C. (2024). Nanomaterials and biochar mediated remediation of emerging contaminants. *Science of the Total Environment*, 916, 170064. <https://doi.org/10.1016/j.scitotenv.2024.170064>
20. Asghar, N., Hussain, A., Nguyen, D. A., Ali, S., Hussain, I., Junejo, A., & Ali, A. (2024). Advancement in nanomaterials for environmental pollutants remediation: A systematic review on bibliometrics analysis, material types, synthesis pathways, and related mechanisms. *Journal of Nanobiotechnology*, 22, Article 26. <https://doi.org/10.1186/s12951-023-02151-3>