

Advanced Wireless Communication Technologies for Industrial Automation

Charlotte Wilson

Assistant Professor, University of Waikato, New Zealand

Abstract

The rapid transformation of industrial environments toward intelligent and interconnected production systems has increased the demand for reliable, low-latency, scalable, and secure wireless communication technologies. Industrial automation increasingly depends on wireless connectivity to support sensors, robotic systems, autonomous mobile equipment, industrial controllers, machine-to-machine communication, and real-time monitoring applications. Conventional wired networks provide high reliability but can involve significant installation, maintenance, and reconfiguration requirements, particularly within dynamic production environments. Advanced wireless technologies provide greater flexibility and mobility while enabling large-scale connectivity across distributed industrial assets. This paper examines advanced wireless communication technologies for industrial automation, focusing on industrial wireless sensor networks, 5G and emerging 6G technologies, industrial Wi-Fi, low-power wide-area communication, edge-assisted communication, and time-sensitive wireless networking. A conceptual and analytical methodology is used to evaluate the communication requirements of industrial automation and identify technological mechanisms capable of addressing latency, reliability, scalability, mobility, security, and energy-efficiency requirements.

The analysis demonstrates that 5G-enabled industrial networks can provide enhanced reliability and low-latency communication for demanding automation applications, while wireless sensor technologies and low-power communication mechanisms remain valuable for monitoring applications with lower bandwidth requirements. Edge computing can further improve response performance by processing industrial data closer to production environments. The study proposes a layered wireless communication framework integrating heterogeneous wireless technologies, edge computing, intelligent network management, security mechanisms, and industrial automation applications. The framework emphasizes technology selection according to application requirements rather than reliance on a single communication standard. Major challenges include electromagnetic interference, network congestion, spectrum management, cybersecurity, interoperability, infrastructure cost, energy constraints, and coexistence with legacy industrial systems. The study concludes that advanced wireless communication can provide an important foundation for flexible and intelligent industrial automation when supported by appropriate network planning, deterministic communication mechanisms, security controls, and adaptive resource management.

Keywords: Wireless communication; Industrial automation; 5G; Industrial IoT; Wireless sensor networks; Edge computing; Low-latency communication; Smart manufacturing; Industrial networking; 6G.

1. Introduction

Industrial automation is undergoing a major technological transformation as manufacturing facilities increasingly integrate sensors, robots, autonomous systems, intelligent controllers, and data-processing platforms. These technologies require continuous communication between machines, devices, control systems, and enterprise applications. Historically, industrial communication has relied heavily on wired networks because of their predictable performance and reliability. However, the increasing demand for mobility, flexible production layouts, rapid equipment deployment, and large-scale device connectivity has stimulated interest in advanced wireless communication technologies.

Wireless communication can reduce cabling requirements and simplify the deployment of sensors and mobile industrial equipment. It can also support production environments in which machines and devices frequently change locations or configurations. Wireless technologies enable communication with autonomous guided vehicles, mobile robots, wearable devices, distributed sensors, and remotely operated machinery. These capabilities are increasingly important for smart manufacturing environments where production systems must respond dynamically to changing operational conditions.

Industrial automation places substantially greater demands on wireless networks than many conventional consumer applications. Communication may need to provide extremely low latency, high reliability, synchronization, deterministic behavior, and continuous availability. A delay or communication failure in a monitoring application may be inconvenient, whereas the same event in a robotic control or safety-critical process can affect production quality or physical safety. Wireless networks must therefore be designed according to the operational characteristics of individual industrial applications.

The emergence of 5G technology has created new possibilities for industrial wireless communication through enhanced mobile broadband, ultra-reliable low-latency communication, and massive machine-type connectivity. Network slicing, edge computing, private cellular networks, and advanced radio technologies can provide greater flexibility for industrial deployments. At the same time, Wi-Fi advancements, industrial wireless sensor networks, low-power communication technologies, and time-sensitive networking mechanisms continue to provide alternative solutions for specific industrial requirements.

This paper examines advanced wireless communication technologies for industrial automation and develops a conceptual framework for integrating heterogeneous communication mechanisms into intelligent production environments. The study evaluates the technical requirements of industrial wireless communication, examines major technologies and their applications, and discusses challenges related to reliability, latency, security, scalability, interoperability, and energy efficiency.

2. Objectives

2.1 Evaluating Wireless Technologies for Industrial Automation

The first objective is to examine advanced wireless communication technologies according to the requirements of industrial automation. Industrial applications differ significantly in their communication demands. Sensors may require low-power and low-data-rate connectivity, while robots and autonomous systems may require high reliability and low latency. The study therefore evaluates technologies according to latency, throughput, reliability, scalability, mobility, coverage, and energy requirements.

The objective also focuses on identifying appropriate communication approaches for different industrial use cases. Technologies such as industrial Wi-Fi, wireless sensor networks, 5G, and low-

power wide-area networks provide different performance characteristics. Understanding these differences can help industrial organizations select communication architectures that match operational requirements. Technology selection is consequently treated as an engineering design decision rather than a universal preference for one wireless standard.

2.2 Developing Reliable and Scalable Wireless Architectures

The second objective is to develop a conceptual framework for integrating advanced wireless technologies into industrial automation environments. The proposed architecture combines heterogeneous wireless networks with edge computing, intelligent resource management, cybersecurity, and industrial control applications. This approach aims to provide communication flexibility while maintaining reliability and predictable performance.

The objective further considers the scalability of industrial wireless infrastructure. Smart factories may contain thousands of connected devices operating simultaneously. Wireless communication architectures must therefore accommodate increasing device density without creating unacceptable interference or latency. The framework emphasizes adaptive network management, traffic prioritization, edge processing, and security mechanisms to support sustainable expansion of industrial connectivity.

3. Literature Review

3.1 Industrial Wireless Communication

Industrial wireless communication has developed significantly with the growth of wireless sensor networks and Industrial Internet of Things applications. Wireless sensor networks enable distributed measurement of temperature, vibration, pressure, energy consumption, equipment status, and environmental conditions. Their reduced cabling requirements make them attractive for industrial monitoring, particularly where installing wired connections is expensive or impractical.

However, industrial environments introduce unique communication challenges. Metal structures, machinery, electromagnetic interference, physical obstructions, and changing production layouts can affect wireless propagation. Industrial wireless systems must therefore incorporate appropriate channel planning, redundancy, interference management, and reliability mechanisms.

3.2 5G for Industrial Automation

5G provides capabilities that are particularly relevant to industrial automation. Enhanced reliability and low-latency communication can support applications such as robotic coordination, remote control, autonomous vehicles, and real-time monitoring. Private 5G networks can provide organizations with greater control over network configuration, security, coverage, and resource allocation.

Network slicing provides another important capability by allowing logical network resources to be configured for different application requirements. For example, a high-reliability slice may support industrial control, while another slice can support less time-sensitive monitoring traffic.

3.3 Edge Computing and Wireless Industrial Networks

Wireless communication generates substantial amounts of industrial data that may require rapid processing. Sending all information to distant cloud platforms can increase communication latency and

bandwidth requirements. Edge computing addresses this issue by moving computational resources closer to industrial devices.

Edge-enabled wireless architectures can process sensor information, detect anomalies, optimize network resources, and support real-time control decisions near production equipment. The combination of wireless communication and edge computing can therefore reduce response times and improve network efficiency. However, edge nodes introduce additional security, management, and maintenance requirements.

3.4 Emerging 6G and Intelligent Wireless Networks

Research into 6G technologies is exploring communication systems capable of supporting extremely high device densities, intelligent network control, integrated sensing and communication, and advanced artificial intelligence. Although many 6G capabilities remain under development, their potential relevance to future industrial automation is substantial.

AI-enabled wireless management may allow industrial networks to predict congestion, dynamically allocate resources, and adapt communication parameters according to application requirements. Integrated sensing and communication could also support industrial localization, environmental awareness, and machine monitoring. However, practical adoption will depend on technological maturity, standardization, infrastructure availability, and economic feasibility.

4. Methodology

4.1 Research Design

This study adopts a conceptual and analytical research design to evaluate advanced wireless communication technologies for industrial automation. The methodology identifies major communication requirements associated with industrial monitoring, control, robotics, autonomous systems, and machine-to-machine communication. These requirements are mapped against characteristics including latency, reliability, throughput, scalability, mobility, coverage, and energy efficiency.

The study treats industrial wireless communication as a heterogeneous networking problem. Rather than assuming that one technology can satisfy every application, the methodology evaluates how multiple wireless technologies can coexist within an integrated industrial architecture. This approach supports differentiated communication services in which technology selection is determined by operational requirements.

4.2 Technology Evaluation

The second methodological stage compares major wireless technologies according to their suitability for industrial applications. 5G is evaluated for low-latency and high-reliability applications, industrial Wi-Fi for high-throughput local connectivity, wireless sensor networks for distributed monitoring, and low-power technologies for energy-constrained devices. Edge computing is considered as a supporting technology for reducing processing and communication latency.

The evaluation also considers deployment challenges. Industrial wireless systems must operate reliably in environments affected by interference, physical obstacles, device mobility, and high device density. Security is treated as an integral component of technology evaluation because wireless

communication creates additional exposure to interception, unauthorized access, jamming, and device compromise.

4.3 Industrial Communication Requirements

The following requirements guide the proposed framework:

- **Low latency:** Communication should support time-sensitive industrial operations.
- **High reliability:** Critical applications require stable communication with minimal packet loss.
- **Scalability:** Networks should accommodate large numbers of connected devices.
- **Mobility:** Wireless systems should support mobile robots and autonomous equipment.
- **Deterministic performance:** Industrial control may require predictable communication behavior.
- **Security:** Data and communication channels must be protected from unauthorized access.
- **Energy efficiency:** Battery-powered sensors require low-power communication.
- **Interoperability:** Wireless systems should integrate with existing industrial protocols.
- **Coverage:** Communication should remain available throughout required operational areas.
- **Resource efficiency:** Spectrum, bandwidth, and computing resources should be efficiently managed.

These requirements provide a structured basis for evaluating wireless technologies. They also demonstrate why industrial communication cannot be designed solely around bandwidth. Reliability, latency, security, and deterministic performance may be more important than maximum data throughput for many automation applications.

4.4 Framework Development

The final methodological stage develops a layered wireless communication framework for industrial automation. The framework incorporates industrial devices at the sensing and application layer, heterogeneous wireless technologies at the connectivity layer, edge computing at the processing layer, and intelligent network management at the orchestration layer. Security controls operate across all layers.

The framework supports dynamic allocation of communication resources according to application priorities. Critical control traffic can receive higher priority and more reliable communication resources, while non-critical monitoring data can use less demanding connectivity mechanisms. This differentiated architecture improves resource utilization and allows industrial organizations to combine multiple wireless technologies according to operational needs.

5. Analysis

5.1 Wireless Technology Suitability

Advanced wireless communication technologies provide different advantages for industrial automation. 5G is well suited to applications requiring low latency, high reliability, mobility, and large-scale connectivity. Industrial Wi-Fi can support high-throughput local applications, while wireless sensor networks provide flexible monitoring capabilities. Low-power wireless technologies are appropriate for devices where battery life is an important consideration.

Table 1: Suitability of Wireless Technologies for Industrial Automation

Technology	Major Strength	Suitable Industrial Applications	Key Consideration
5G	Low latency and high reliability	Robotics, AGVs, real-time control	Infrastructure and deployment cost
Private 5G	Dedicated industrial connectivity	Smart factories, critical automation	Network management complexity
Industrial Wi-Fi	High local throughput	Machine monitoring, video systems	Interference and coverage
Wireless Sensor Networks	Flexible distributed sensing	Condition and environmental monitoring	Power and reliability
LPWAN	Low-power wide-area connectivity	Remote industrial monitoring	Limited data rates
Bluetooth Low Energy	Low-power short-range communication	Wearables, proximity sensing	Limited range
Zigbee	Low-power mesh networking	Sensor networks, facility monitoring	Interference and throughput
Emerging 6G	Intelligent high-capacity connectivity	Future autonomous industrial systems	Technology maturity

Interpretation: The comparison demonstrates that wireless technologies should be selected according to specific industrial requirements. 5G and private cellular networks are particularly suitable for demanding automation applications involving mobility and low latency. Industrial Wi-Fi remains valuable for high-throughput local communication, whereas wireless sensor and low-power technologies are more appropriate for distributed monitoring.

Emerging 6G technologies may eventually support more intelligent and highly integrated industrial environments, but their practical deployment remains dependent on technological maturity and standardization.

5.2 Industrial Application Scenarios

Wireless communication can support a wide range of industrial automation applications. Autonomous guided vehicles require continuous connectivity while moving through production facilities. Robots can use wireless communication to exchange status information and coordinate with production systems. Wireless sensors can monitor machine vibration, temperature, pressure, and energy consumption without extensive cabling. Remote monitoring is another important application. Engineers can access industrial equipment and operational data through secure wireless networks, allowing maintenance decisions to be made without continuous physical presence. Wireless communication can also support augmented-

reality systems for maintenance personnel, enabling real-time access to technical information while working near industrial equipment.

5.3 Network Performance and Resource Management

Industrial wireless networks must manage resources dynamically because traffic conditions can change significantly throughout production operations. A sudden increase in machine activity can increase network demand, while maintenance operations may temporarily change device communication patterns. Intelligent resource management can monitor network conditions and allocate spectrum, bandwidth, computing resources, and communication priorities accordingly.

Table 2: Key Performance Requirements for Industrial Wireless Communication

Performance Dimension	Industrial Requirement	Importance
Latency	Very low for time-sensitive control	Supports rapid responses
Reliability	Very high for critical operations	Prevents communication failures
Throughput	Application-dependent	Supports data-intensive services
Scalability	Large device populations	Enables smart-factory expansion
Mobility	Continuous connectivity	Supports robots and AGVs
Coverage	Facility-wide where required	Maintains operational connectivity
Security	Strong authentication and encryption	Protects industrial systems
Energy Efficiency	Low consumption for sensors	Extends device lifetime
Determinism	Predictable communication	Supports control applications
Availability	Continuous service	Maintains production continuity

Interpretation: The performance requirements illustrate that industrial wireless communication involves multiple competing objectives. Maximum throughput alone does not determine network suitability. Critical automation requires low latency, high reliability, deterministic behavior, and continuous availability, whereas sensor monitoring may prioritize energy efficiency and coverage. Industrial network architects should therefore implement differentiated communication services and allocate resources according to the operational importance of each application.

6. Discussion

6.1 Benefits of Advanced Wireless Communication

Advanced wireless technologies can substantially increase flexibility within industrial environments. Removing extensive cabling requirements can simplify the deployment of sensors and mobile equipment while enabling rapid production-line reconfiguration. Wireless connectivity also makes it easier to connect equipment in locations where wired infrastructure would be expensive or difficult to install.

Another major benefit is support for industrial mobility. Autonomous robots, automated guided vehicles, inspection systems, and wearable technologies can maintain connectivity while moving through production facilities. This capability supports more dynamic manufacturing models in which production equipment can be reconfigured according to changing demand.

6.2 5G and Private Industrial Networks

5G is particularly promising for industrial automation because it can provide high-performance wireless connectivity with advanced quality-of-service mechanisms. Private 5G networks allow industrial organizations to configure dedicated communication environments according to their operational requirements. This can provide greater control over coverage, security, device authentication, and network policies.

Private industrial networks can also support heterogeneous applications through differentiated traffic management. Critical control systems can receive higher communication priority, while less sensitive applications can operate using different resource allocations. This flexibility may enable multiple automation services to coexist within a common network architecture.

6.3 Edge-Assisted Wireless Automation

The integration of edge computing with advanced wireless networks can reduce the distance between data generation and processing. Instead of sending all sensor and control information to remote cloud platforms, selected computations can be performed close to machines and production lines. This can reduce latency and communication bandwidth requirements.

Edge-assisted architectures can also improve intelligent network management. Local edge nodes can analyze traffic patterns, detect communication anomalies, predict congestion, and dynamically adjust network resources. Such capabilities can support more responsive industrial automation and improve the resilience of wireless communication infrastructure.

7. Challenges

One major challenge is electromagnetic interference. Industrial facilities often contain motors, power electronics, heavy machinery, welding equipment, and other sources of electromagnetic activity. These conditions can negatively affect wireless communication quality. Reliable industrial deployments therefore require careful spectrum planning, antenna positioning, channel selection, redundancy, and interference monitoring.

Network reliability is another significant challenge. Industrial control applications may require extremely dependable communication because communication failures can affect production processes. Wireless systems are inherently more susceptible to environmental and propagation conditions than dedicated wired connections. Advanced redundancy mechanisms, multiple connectivity paths, robust modulation, and intelligent network management are therefore necessary for critical applications.

Cybersecurity is also a major concern. Wireless communication can expose industrial systems to unauthorized access, eavesdropping, spoofing, denial-of-service attacks, and compromised devices. Strong authentication, encryption, device identity management, network segmentation, continuous monitoring, and secure configuration practices should therefore be integrated into industrial wireless architectures.

Interoperability with legacy systems presents an additional challenge. Industrial facilities often operate equipment that was designed before modern wireless technologies became available. Replacing these systems may be costly and operationally disruptive. Gateway architectures, protocol translation, edge devices, and hybrid wired-wireless networks can provide transitional mechanisms for integrating advanced wireless technologies with established industrial infrastructure.

8. Future Research

Future research should investigate intelligent wireless network management using artificial intelligence and machine learning. Industrial communication conditions can change rapidly because of device mobility, production schedules, interference, and varying traffic demands. AI-based systems could predict congestion, optimize spectrum allocation, dynamically adjust communication parameters, and prioritize critical traffic. Research should evaluate these techniques using realistic industrial environments to determine their reliability, computational requirements, and ability to maintain deterministic communication under changing conditions.

Another important research direction is the integration of wireless communication with digital twins and autonomous industrial systems. Digital twins could provide network-management systems with contextual information regarding production activities and expected device behavior. Wireless networks could consequently adapt resources according to production requirements. Future research should examine how 5G, edge computing, digital twins, and autonomous robotics can operate as an integrated communication ecosystem while maintaining security and predictable performance.

Future studies should also explore emerging 6G technologies for industrial applications. Potential capabilities such as integrated sensing and communication, extremely dense device connectivity, intelligent surfaces, advanced localization, and AI-native network management could significantly expand industrial automation possibilities. Research should focus on practical industrial requirements rather than theoretical capacity alone, including reliability, deterministic behavior, energy efficiency, security, interoperability, and cost. Pilot implementations would be valuable for assessing whether emerging capabilities provide measurable benefits over mature wireless technologies.

9. Limitations

This study is primarily conceptual and analytical and does not include experimental testing of the proposed wireless framework within a live industrial facility. Therefore, the analysis does not provide direct measurements of latency, packet-loss rates, interference tolerance, energy consumption, or network reliability under real industrial conditions. Empirical validation using production environments would be required to quantify the performance of the proposed architecture.

Another limitation is the diversity of industrial environments. Manufacturing plants, energy facilities, logistics centers, process industries, and infrastructure systems have different communication requirements and physical characteristics. A wireless architecture optimized for one environment may

not perform equally well in another. Technology selection must therefore consider facility structure, device density, spectrum conditions, application criticality, and existing infrastructure.

The study also discusses emerging technologies whose industrial capabilities are still developing. In particular, future 6G functionality remains subject to standardization, technological advancement, and commercial deployment conditions. Consequently, projections regarding future wireless capabilities should be interpreted as research directions rather than established industrial performance outcomes.

10. Conclusion

Advanced wireless communication technologies are becoming increasingly important for industrial automation as production systems move toward greater connectivity, flexibility, mobility, and intelligence. Wireless networks can reduce cabling requirements, connect distributed sensors, support autonomous equipment, and enable real-time communication across dynamic industrial environments. However, industrial automation places stringent requirements on latency, reliability, deterministic behavior, security, availability, and scalability. These requirements distinguish industrial wireless communication from conventional consumer-oriented wireless applications.

The analysis indicates that no single wireless technology is optimal for every industrial application. 5G and private cellular networks provide strong capabilities for low-latency, high-reliability, and mobile applications, while industrial Wi-Fi remains effective for high-throughput local connectivity. Wireless sensor networks and low-power technologies provide flexible solutions for monitoring applications and energy-constrained devices. Edge computing can complement these technologies by processing data close to industrial equipment and reducing dependence on remote cloud infrastructure.

Overall, advanced wireless communication should be implemented through heterogeneous and application-oriented architectures. Future industrial networks will increasingly combine cellular communication, Wi-Fi, sensor networks, edge computing, intelligent resource management, and emerging technologies such as 6G. Successful implementation will depend on robust cybersecurity, careful spectrum management, interoperability with legacy systems, and continuous performance monitoring. With appropriate design and governance, advanced wireless communication can provide a reliable foundation for flexible, scalable, and intelligent industrial automation.

References

1. Akerberg, J., Gidlund, M., & Björkman, M. (2011). Future research challenges in wireless sensor and actuator networks targeting industrial automation. 2011 IEEE International Conference on Industrial Informatics (INDIN), 410–415. <https://doi.org/10.1109/INDIN.2011.6034915>
2. Aijaz, A., Dohler, M., Aghvami, A. H., Friderikos, V., & Frodigh, M. (2017). Realizing the tactile internet: Haptic communications over next generation 5G cellular networks. IEEE Wireless Communications, 24(2), 82–89. <https://doi.org/10.1109/MWC.2016.1600147WC>
3. Bennis, M., Debbah, M., & Poor, H. V. (2018). Ultra-reliable and low-latency wireless communication: Tail, risk, and scale. Proceedings of the IEEE, 106(10), 1834–1853. <https://doi.org/10.1109/JPROC.2018.2867029>
4. Gungor, V. C., & Hancke, G. P. (2009). Industrial wireless sensor networks: Challenges, design principles, and technical approaches. IEEE Transactions on Industrial Electronics, 56(10), 4258–4265. <https://doi.org/10.1109/TIE.2009.2015754>
5. Gungor, V. C., Hancke, G. P., & colleagues. (2010). Industrial wireless sensor networks: Applications, challenges, and future directions. IEEE Transactions on Industrial Electronics, 57(5), 1615–1630.

6. Khan, B. S., Jangsher, S., Ahmed, A., & Al-Dweik, A. (2022). URLLC and eMBB in 5G industrial IoT: A survey. *IEEE Open Journal of the Communications Society*, 3, 1134–1163. <https://doi.org/10.1109/OJCOMS.2022.3189013>
7. Mekki, K., Bajic, E., Chaxel, F., & Meyer, F. (2019). A comparative study of LPWAN technologies for large-scale IoT deployment. *ICT Express*, 5(1), 1–7. <https://doi.org/10.1016/j.icte.2017.12.005>
8. Popovski, P., Trillingsgaard, K. F., Simeone, O., & Durisi, G. (2018). 5G wireless network slicing for eMBB, URLLC, and mMTC: A communication-theoretic view. *IEEE Access*, 6, 55765–55779. <https://doi.org/10.1109/ACCESS.2018.2872781>
9. Thomesse, J.-P. (2005). Fieldbus technology in industrial automation. *Proceedings of the IEEE*, 93(6), 1073–1101. <https://doi.org/10.1109/JPROC.2005.849721>
10. Willig, A. (2008). Recent and emerging topics in wireless industrial communications: A selection. *IEEE Transactions on Industrial Informatics*, 4(2), 102–124. <https://doi.org/10.1109/TII.2008.923194>
11. Willig, A., Matheus, K., & Wolisz, A. (2005). Wireless technology in industrial networks. *Proceedings of the IEEE*, 93(6), 1130–1151. <https://doi.org/10.1109/JPROC.2005.849717>
12. Zanella, A., Bui, N., Castellani, A., Vangelista, L., & Zorzi, M. (2014). Internet of Things for smart cities. *IEEE Internet of Things Journal*, 1(1), 22–32. <https://doi.org/10.1109/JIOT.2014.2306328>
13. Zeydan, E., Arslan, S., & Turk, Y. (2024). 6G wireless communications for industrial automation: Scenarios, requirements and challenges. *Journal of Industrial Information Integration*, 42, Article 100732. <https://doi.org/10.1016/j.jii.2024.100732>
14. Shaik, R. B., Nagaradjane, P., Ioannou, I., Sittakul, V., Vasiliou, V., & Pitsillides, A. (2024). AI/ML-aided capacity maximization strategies for URLLC in 5G/6G wireless systems: A survey. *Computer Networks*, 249, Article 110506. <https://doi.org/10.1016/j.comnet.2024.110506>
15. Wireless communications for smart manufacturing and industrial IoT: Existing technologies, 5G and beyond. (2023). *Sensors*, 23(1), Article 73. <https://www.mdpi.com/1424-8220/23/1/73>
16. Real-time performance of industrial IoT communication technologies: A review. (2024). *IEEE Internet of Things Journal*, 11(5), 7399–7410. <https://doi.org/10.1109/JIOT.2023.3332507>
17. Holma, H., & Toskala, A. (2024). Industrial Internet of Things. In H. Holma, A. Toskala, and T. Nakamura (Eds.), *5G technology: 3GPP evolution to 5G-Advanced*. Wiley. <https://doi.org/10.1002/9781119816058.ch18>
18. Zambouri, K., Noor-A-Rahim, M., John, J., & Sreenan, C. (2025). A comprehensive survey of wireless time-sensitive networking (TSN): Architecture, technologies, applications, and open issues. *IEEE Communications Surveys & Tutorials*. <https://doi.org/10.1109/COMST.2024.3486618>
19. IEEE. (2020). IEEE standard for local and metropolitan area networks—Time-sensitive networking profile for industrial automation (IEEE Std 802.1Qcc). IEEE Standards Association.
20. International Electrotechnical Commission. (2019). IEC 62591: Industrial networks—Wireless communication network and communication profiles—WirelessHART. IEC.