

5G-Enabled Industrial Communication Systems for Real-Time Engineering Applications

Dr. Emily Harrison

Associate Professor, London Institute of Advanced Technology, United Kingdom

Abstract

The emergence of fifth-generation wireless communication has created new opportunities for industrial environments requiring high-speed connectivity, low communication latency, reliability, scalability, and support for large numbers of connected devices. Industrial communication systems increasingly connect machines, sensors, robots, controllers, autonomous vehicles, and engineering applications within highly integrated cyber-physical environments. Conventional wired and earlier-generation wireless networks may encounter limitations when supporting highly dynamic industrial operations and geographically distributed equipment. This paper examines 5G-enabled industrial communication systems and their potential applications in real-time engineering environments. The study focuses on enhanced mobile broadband, ultra-reliable low-latency communication, massive machine-type communication, network slicing, edge computing, industrial Internet of Things connectivity, and private 5G architectures. A structured analytical methodology is employed to evaluate the contribution of these technologies to real-time industrial communication. The analysis indicates that 5G can provide significant benefits for applications involving robotic coordination, remote equipment monitoring, autonomous transportation, predictive maintenance, augmented engineering operations, and real-time process control.

Network slicing and private 5G architectures can further enable organizations to configure communication resources according to application-specific requirements. However, successful industrial deployment requires careful consideration of spectrum management, cybersecurity, infrastructure cost, interoperability, network reliability, and integration with existing industrial communication protocols. The study also identifies the importance of edge computing for reducing communication delays by processing data closer to industrial devices. Future research should investigate AI-assisted 5G network optimization, integrated 5G-edge architectures, digital twins, deterministic industrial communication, and advanced security mechanisms. The paper concludes that 5G-enabled communication systems can serve as an important foundation for next-generation real-time engineering applications when deployed through carefully designed, secure, and application-oriented industrial network architectures.

Keywords: 5G, Industrial Communication, Real-Time Engineering, Industrial Internet of Things, Edge Computing, Network Slicing, Private 5G, Cyber-Physical Systems

1. Introduction

Industrial communication networks form the technological foundation for modern engineering operations by enabling machines, sensors, controllers, robots, and monitoring platforms to exchange information. Manufacturing plants, energy facilities, logistics centers, transportation systems, and process industries increasingly depend on continuous communication between physical assets and digital

control systems. The development of Industry 4.0 has intensified this requirement by introducing connected equipment, intelligent automation, industrial Internet of Things devices, and data-driven decision-making. Consequently, communication networks must provide sufficient speed, reliability, scalability, and responsiveness to support increasingly complex industrial applications.

Fifth-generation wireless communication technology provides new capabilities that can address several limitations associated with conventional industrial connectivity. 5G architectures are designed to support high data rates, reduced latency, enhanced connection density, and improved communication reliability. These characteristics are relevant to engineering applications where rapid exchange of information between machines and control systems is essential. Wireless connectivity can additionally improve flexibility by reducing dependence on fixed cabling and enabling mobile industrial assets to communicate across changing operational environments.

Real-time engineering applications place particularly demanding requirements on communication systems. Robotic systems may require rapid coordination, autonomous vehicles may depend on continuous location and control information, and industrial monitoring systems may need frequent sensor updates. Delayed or unreliable communication can reduce system performance and, in safety-sensitive applications, potentially create operational risks. Therefore, communication architecture must be designed according to the latency, reliability, throughput, and availability requirements of individual applications.

5G also enables architectural innovations beyond basic wireless connectivity. Network slicing allows network resources to be logically separated according to application requirements, while private 5G networks can provide organizations with greater control over industrial connectivity. Integration with edge computing can reduce the distance between data sources and processing resources, allowing time-sensitive information to be analyzed closer to machines and devices. These capabilities create opportunities for developing highly responsive industrial communication infrastructures.

Despite its potential, 5G adoption in industrial environments involves several challenges. Industrial organizations must integrate new wireless infrastructure with existing wired networks, industrial protocols, legacy equipment, and operational technology. Cybersecurity, spectrum availability, infrastructure costs, interoperability, and network management also require careful consideration. The benefits of 5G therefore depend not only on its technical capabilities but also on how effectively it is integrated into broader engineering architectures.

This paper examines the role of 5G-enabled industrial communication systems in real-time engineering applications. It evaluates key 5G capabilities, architectural components, industrial use cases, and implementation considerations. The study emphasizes how 5G, edge computing, industrial IoT, and intelligent network management can collectively support responsive and scalable engineering systems.

2. Objectives

2.1 To Examine the Role of 5G in Industrial Communication

The first objective is to examine the principal capabilities of 5G communication technology for industrial engineering environments. The study focuses on low-latency communication, high reliability, device connectivity, network slicing, private networks, and edge integration. It evaluates how these capabilities can support communication between industrial machines, sensors, controllers, robots, autonomous systems, and engineering applications requiring rapid and dependable information exchange.

2.2 To Evaluate 5G Applications for Real-Time Engineering Operations

The second objective is to evaluate the contribution of 5G-enabled communication to real-time engineering applications. Particular attention is given to robotic systems, remote monitoring, autonomous industrial vehicles, process control, predictive maintenance, and industrial IoT. The objective also considers technical and operational challenges that may influence the successful deployment, scalability, reliability, and security of 5G-based industrial communication systems.

3. Review of Literature

3.1 5G Communication for Industrial Applications

Research on 5G has emphasized its potential to support diverse application requirements through high throughput, low latency, reliability, and flexible network architectures. Unlike previous generations primarily focused on consumer broadband, 5G was designed to support a broader range of use cases involving machine communication and mission-critical applications. These characteristics have increased interest in 5G for industrial environments where connectivity must support both human users and large populations of machines and sensors.

Industrial applications can benefit from wireless communication because it provides greater flexibility in factory layouts and mobile equipment deployment. Wireless connectivity can reduce cabling requirements and support rapid reconfiguration of production environments. However, industrial use also requires stronger reliability and predictable performance than many conventional wireless applications. Consequently, 5G industrial architectures must be carefully engineered to satisfy application-specific communication requirements.

3.2 Ultra-Reliable Low-Latency Communication

Ultra-Reliable Low-Latency Communication (URLLC) represents one of the most important 5G capabilities for real-time engineering applications. URLLC is intended to support communication scenarios requiring very low delays and high reliability. Such characteristics are relevant to industrial automation, robotic coordination, machine control, and other applications in which delayed information can affect operational performance.

The effectiveness of low-latency communication depends on the complete network architecture rather than the radio interface alone. Processing, routing, application design, and network congestion can all contribute to end-to-end delay. Edge computing can therefore complement 5G by positioning computational resources close to industrial devices and reducing the need to transmit time-sensitive information to distant cloud platforms.

3.3 Industrial IoT and Edge Computing

The Industrial Internet of Things has created demand for communication systems capable of connecting large numbers of sensors, machines, and intelligent devices. 5G can provide scalable wireless connectivity for industrial IoT applications while supporting diverse traffic requirements. Sensors can continuously transmit operational information for monitoring, optimization, predictive maintenance, and process analysis.

Edge computing further strengthens this architecture by processing data close to the source. Instead of transmitting every data stream to centralized cloud systems, selected information can be processed at local edge nodes. This can reduce communication overhead and improve response time for

real-time engineering applications. The combination of 5G and edge computing is therefore increasingly relevant to distributed industrial automation.

3.4 Network Slicing and Private 5G

Network slicing provides a mechanism for creating logically separated network environments with application-specific characteristics. Different industrial services may require different combinations of latency, bandwidth, reliability, and security. A network slice can therefore be configured to support particular requirements without necessarily creating a completely separate physical network for every application.

Private 5G networks provide another approach to industrial connectivity. Organizations can deploy dedicated wireless infrastructure within factories, campuses, ports, warehouses, or other controlled environments. Private networks can provide greater control over connectivity, security, device management, and resource allocation. Their adoption, however, requires investment in infrastructure, spectrum arrangements, network expertise, and integration with existing operational systems.

4. Methodology

4.1 Research Design

This study adopts a structured qualitative and analytical research design to examine 5G-enabled industrial communication systems for real-time engineering applications. The analysis focuses on established concepts related to 5G architecture, industrial IoT, URLLC, network slicing, edge computing, private networks, and cyber-physical systems. These concepts are organized according to their communication capabilities and industrial functions. The approach enables systematic evaluation of how different 5G technologies contribute to connectivity, responsiveness, reliability, scalability, and engineering performance.

The research design also considers the specific requirements of industrial communication. Real-time applications require more than high bandwidth because communication delay, reliability, availability, interoperability, and security can directly influence system behavior. Accordingly, the study evaluates 5G technologies in relation to these operational requirements. This provides a broader perspective on industrial communication than a conventional assessment based solely on wireless data rates.

4.2 Analytical Framework

The analytical framework evaluates 5G-enabled industrial communication through four major dimensions: communication performance, network architecture, engineering application, and operational integration. Communication performance includes latency, reliability, throughput, and device density. Network architecture considers private 5G, network slicing, edge computing, and integration with existing networks. Engineering applications include automation, robotics, monitoring, and autonomous systems.

The framework incorporates the following key components:

- **5G radio connectivity:** Provides wireless communication between industrial devices.
- **URLLC:** Supports applications requiring rapid and dependable communication.
- **Massive machine communication:** Enables large-scale industrial device connectivity.
- **Network slicing:** Provides application-specific logical network resources.

- **Edge computing:** Processes time-sensitive information close to industrial devices.
- **Private 5G:** Provides controlled connectivity within industrial facilities.
- **Industrial IoT integration:** Connects sensors, machines, controllers, and analytics platforms.

4.3 Evaluation Procedure

The evaluation compares the capabilities of 5G-enabled industrial communication technologies according to latency, reliability, scalability, flexibility, and suitability for real-time engineering applications. The assessment emphasizes how different architectural components complement one another. For example, 5G connectivity provides wireless access, while edge computing can reduce processing delays and network slicing can allocate resources according to application requirements.

The study also considers implementation challenges and integration requirements. Existing industrial facilities may contain legacy wired networks, proprietary protocols, and equipment with long operational lifetimes. Therefore, 5G deployment should be viewed as an evolutionary networking strategy rather than an isolated replacement of existing infrastructure. Hybrid architectures combining wired Ethernet, industrial protocols, 5G connectivity, and edge computing may provide practical pathways toward modernization.

5. Analysis

5.1 Comparative Assessment of 5G Industrial Communication Capabilities

The industrial value of 5G depends on the specific capabilities required by engineering applications. Different 5G features address different communication requirements, as shown below.

Table 1: Comparative Assessment of 5G Capabilities for Industrial Communication

5G Capability	Primary Function	Major Industrial Benefit	Real-Time Relevance
High-Speed Connectivity	Rapid data transmission	Supports data-intensive applications	High
Low-Latency Communication	Reduces transmission delay	Improves responsiveness	Very High
URLLC	Reliable low-delay communication	Supports critical control applications	Very High
Massive Machine Connectivity	Connects large device populations	Supports industrial IoT	High
Network Slicing	Application-specific resource allocation	Improves service differentiation	High
Private 5G	Dedicated industrial connectivity	Improves control and flexibility	High
Edge Integration	Local processing	Reduces end-to-end response time	Very High

5G Capability	Primary Function	Major Industrial Benefit	Real-Time Relevance
Mobility Support	Continuous wireless connectivity	Enables mobile industrial assets	High

Interpretation: The comparison indicates that low latency, URLLC, and edge integration are particularly important for real-time engineering applications. High-speed connectivity is valuable for data-intensive systems, while massive machine connectivity supports large industrial IoT deployments.

Network slicing can provide differentiated communication services, and private 5G can improve organizational control over industrial connectivity. The combined use of these capabilities can create a flexible communication environment capable of supporting heterogeneous engineering applications with different performance requirements.

5.2 Application of 5G to Real-Time Engineering Systems

5G-enabled industrial communication can support a broad range of engineering applications. Its benefits become particularly significant when applications involve mobile assets, high device density, rapid data exchange, or geographically distributed equipment.

Table 2: 5G Applications in Real-Time Industrial Engineering

Engineering Application	5G Contribution	Expected Operational Benefit
Robotic Coordination	Low-latency machine communication	Faster coordinated operations
Autonomous Mobile Robots	Reliable wireless connectivity	Improved mobility and control
Remote Equipment Monitoring	Continuous sensor communication	Improved real-time visibility
Predictive Maintenance	High-volume sensor connectivity	Faster condition analysis
Process Automation	Responsive machine communication	Improved control performance
Augmented Engineering	High-speed wireless data	Enhanced field support
Industrial Video Analytics	High-bandwidth transmission	Faster visual inspection
Connected Warehousing	Large-scale device connectivity	Improved logistics coordination
Remote Engineering Support	Secure wireless access	Greater operational flexibility

Interpretation: The analysis shows that 5G can contribute to multiple real-time engineering applications by providing responsive and scalable wireless communication. Robotic coordination and autonomous vehicles benefit from low-latency connectivity, while monitoring and predictive maintenance benefit from large-scale sensor communication.

High-bandwidth applications such as industrial video analytics can utilize increased data capacity. The overall benefit depends on appropriate network design, edge processing, security controls, and integration with industrial control architectures.

6. Discussion

6.1 5G and Real-Time Industrial Automation

5G can strengthen industrial automation by enabling flexible wireless communication among machines, sensors, controllers, and robotic systems. Low-latency communication can support rapid exchange of control information, while wireless connectivity can make production environments easier to reconfigure. This flexibility is particularly useful in modern factories where production lines may need to adapt to changing product requirements and equipment configurations.

However, real-time automation cannot rely solely on nominal 5G latency characteristics. End-to-end performance also depends on processing, application architecture, network load, and edge placement. Engineering organizations must therefore evaluate complete communication paths rather than focusing only on radio performance. Application-specific quality-of-service policies and appropriately designed network architecture are necessary for dependable industrial operation.

6.2 5G, Edge Computing, and Industrial IoT

The combination of 5G and edge computing creates a strong foundation for real-time industrial IoT. Connected sensors can generate large quantities of data, while edge nodes can analyze time-sensitive information locally. This architecture reduces dependence on distant cloud resources and can allow industrial systems to respond more quickly to changing conditions.

Edge-based processing can also reduce unnecessary network traffic by transmitting selected information rather than continuously forwarding raw data to centralized platforms. This can improve communication efficiency and support scalable deployments. Nevertheless, edge environments introduce additional infrastructure and cybersecurity requirements. Organizations must protect edge nodes, manage distributed applications, and maintain reliable synchronization between local and centralized systems.

6.3 Private 5G and Network Slicing

Private 5G networks provide industrial organizations with greater control over wireless infrastructure and device connectivity. They can be designed around the requirements of individual facilities and can support controlled access for machines, employees, sensors, and autonomous systems. Network slicing can further separate application traffic and provide different performance characteristics for different industrial services.

The adoption of private 5G and slicing should nevertheless be guided by business and engineering requirements. Not every industrial application requires 5G, and existing wired technologies may remain appropriate for highly deterministic or fixed applications. A hybrid approach can therefore be advantageous, combining wired industrial networks with 5G for mobile, flexible, and high-

connectivity applications. Such integration can reduce unnecessary infrastructure replacement while enabling gradual modernization.

7. Challenges

One major challenge associated with 5G industrial deployment is infrastructure integration. Existing industrial environments often contain legacy control systems, wired Ethernet networks, proprietary communication protocols, and specialized equipment. Integrating 5G without disrupting established operations requires careful network planning, protocol compatibility assessment, gateway deployment, and staged implementation. Organizations must also ensure that wireless systems provide sufficient reliability for the intended engineering applications.

Cybersecurity represents another important challenge. Increasing wireless connectivity can expand the number of communication endpoints and introduce additional attack surfaces. Private 5G networks, edge nodes, connected devices, and network-management systems must therefore be protected through strong authentication, access control, encryption, monitoring, and secure configuration practices. Security requirements must extend across both the wireless infrastructure and the industrial systems connected to it.

Cost and operational expertise can also influence adoption. 5G deployment may require new radio infrastructure, edge computing resources, network-management platforms, specialized personnel, and ongoing maintenance. Industrial organizations must determine whether the expected operational benefits justify these investments. Skills related to wireless networking, operational technology, cybersecurity, and industrial automation must also be coordinated to achieve successful implementation.

8. Future Research

8.1 AI-Assisted 5G Network Optimization

Future research should investigate artificial intelligence techniques for dynamically optimizing industrial 5G networks. AI models could analyze traffic conditions, application requirements, device behavior, and network performance to allocate communication resources more efficiently. Research should examine predictive resource management, adaptive quality-of-service policies, anomaly-aware network optimization, and automated congestion management. Such approaches could improve network efficiency while maintaining the stringent performance requirements of real-time engineering applications.

8.2 Integrated 5G, Edge, and Digital Twin Architectures

The integration of 5G, edge computing, and digital twins provides another promising research direction. Digital twins can represent industrial processes and assets while edge systems process operational data close to physical equipment. 5G can provide flexible connectivity between these components. Future studies should examine how these technologies can jointly support real-time simulation, remote engineering, predictive maintenance, process optimization, and rapid operational decision-making.

8.3 Deterministic and Secure Industrial 5G

Future research should focus on improving the deterministic behavior and security of 5G-enabled industrial networks. Engineering applications may require predictable communication performance rather than average low latency alone. Research should therefore investigate time-sensitive networking

integration, deterministic wireless communication, resilient network architectures, and security-aware resource allocation. Advanced approaches should maintain communication reliability even during congestion, equipment failures, or cybersecurity incidents.

9. Limitations

This study provides a conceptual and analytical assessment of 5G-enabled industrial communication rather than an experimental performance evaluation conducted on a live industrial network. Consequently, the reported benefits represent technology-level potential rather than guaranteed outcomes for every industrial environment. Actual performance may depend on spectrum conditions, network configuration, infrastructure density, application architecture, device capabilities, and environmental factors.

The study also does not evaluate specific commercial 5G vendors, private-network platforms, or industrial communication products. Cost, regulatory requirements, spectrum availability, and deployment models can differ substantially between regions and industrial sectors. Future empirical research using industrial testbeds and long-duration deployments could provide more precise measurements of latency, reliability, scalability, energy consumption, cybersecurity performance, and economic feasibility.

10. Conclusion

5G-enabled industrial communication systems represent an important technological foundation for real-time engineering applications. Their capabilities in low-latency communication, reliability, high-speed data transmission, massive device connectivity, mobility, and flexible network architecture can support increasingly connected industrial environments. Applications including robotic coordination, autonomous mobile systems, process automation, equipment monitoring, predictive maintenance, and industrial video analytics can benefit from appropriately designed 5G communication infrastructures.

The analysis demonstrates that the value of 5G extends beyond wireless connectivity. Network slicing, private 5G, edge computing, and industrial IoT integration can collectively create communication architectures tailored to diverse engineering requirements. Edge processing can reduce response times, while network slicing can provide application-specific resources. However, successful implementation requires careful integration with existing industrial networks and consideration of cybersecurity, interoperability, infrastructure cost, reliability, and operational expertise.

Future industrial communication systems are likely to evolve toward integrated 5G-edge architectures supported by artificial intelligence, digital twins, deterministic networking, and advanced cybersecurity mechanisms. These developments can enable more flexible and responsive engineering environments while supporting increasingly autonomous industrial operations. Nevertheless, organizations should adopt 5G according to clearly defined operational requirements rather than treating it as a universal replacement for existing technologies. A hybrid and application-oriented approach can provide a practical pathway toward secure, scalable, and reliable real-time industrial communication.

References

1. Cheng, J., Chen, W., Tao, F., & Lin, C.-L. (2018). Industrial IoT in 5G environment towards smart manufacturing. *Journal of Industrial Information Integration*, 10, 10–19. <https://doi.org/10.1016/j.jii.2018.04.001>

2. Varga, P., Peto, J., Franko, A., Balla, D., Haja, D., Janky, F., Soos, G., Ficzer, D., Maliosz, M., & Toka, L. (2020). 5G support for Industrial IoT applications—Challenges, solutions, and research gaps. *Sensors*, 20(3), Article 828. <https://doi.org/10.3390/s20030828>
3. Ansari, J., Andersson, C., de Bruin, P., Farkas, J., Grosjean, L., Sachs, J., & Schmitt, R. H. (2022). Performance of 5G trials for industrial automation. *Electronics*, 11(3), Article 412. <https://doi.org/10.3390/electronics11030412>
4. Zonta, T., da Costa, C. A., da Rosa Righi, R., de Lima, M. J., da Trindade, E. S., & Li, G. P. (2020). Predictive maintenance in the Industry 4.0: A systematic literature review. *Computers & Industrial Engineering*, 150, Article 106889. <https://doi.org/10.1016/j.cie.2020.106889>
5. Frankó, A., Vida, G., & Varga, P. (2020). Reliable, available and secure communication in industrial automation—Prospects of wireless communication. *Sensors*, 20(3), Article 723. <https://doi.org/10.3390/s20030723>
6. Popovski, P., Trillingsgaard, K. F., Simeone, O., & Durisi, G. (2018). 5G wireless network slicing for eMBB, URLLC, and mMTC: A communication-theoretic view. *IEEE Access*, 6, 55765–55779. <https://doi.org/10.1109/ACCESS.2018.2872781>
7. Bennis, M., Debbah, M., & Poor, H. V. (2018). Ultrareliable and low-latency wireless communication: Tail, risk, and scale. *Proceedings of the IEEE*, 106(10), 1834–1853. <https://doi.org/10.1109/JPROC.2018.2867029>
8. Aijaz, A. (2016). 5G-enabled industrial Internet of Things. *IEEE Wireless Communications*, 23(6), 16–17. <https://doi.org/10.1109/MWC.2016.1600032WC>
9. Cheng, N., Lyu, F., Chen, J., Xu, W., Zhou, H., Zhang, S., & Shen, X. (2018). Big data driven vehicular networks. *IEEE Network*, 32(6), 160–167. <https://doi.org/10.1109/MNET.2018.1800113>
10. Lu, Y. (2017). Industry 4.0: A survey on technologies, applications and open research issues. *Journal of Industrial Information Integration*, 6, 1–10. <https://doi.org/10.1016/j.jii.2017.04.005>
11. Monostori, L. (2014). Cyber-physical production systems: Roots, expectations and R&D challenges. *Procedia CIRP*, 17, 9–13. <https://doi.org/10.1016/j.procir.2014.03.115>
12. 0. IEEE Industrial Electronics Magazine, 11(1), 17– [1] 27. <https://doi.org/10.1109/MIE.2017.2649104>
13. Sisinni, E., Saifullah, A., Han, S., Jennehag, U., & Gidlund, M. (2018). Industrial Internet of Things: Challenges, opportunities, and directions. *IEEE Transactions on Industrial Informatics*, 14(11), 4724–4734. <https://doi.org/10.1109/TII.2018.2852491>
14. Lu, Y., & Xu, X. (2019). Cloud-based manufacturing equipment and big data analytics to enable smart manufacturing. *Journal of Manufacturing Systems*, 52, 168–177. <https://doi.org/10.1016/j.jmsy.2019.05.011>
15. Kritzinger, W., Karner, M., Traar, G., Henjes, J., & Sihn, W. (2018). Digital twin in manufacturing: A categorical literature review and classification. *IFAC-PapersOnLine*, 51(11), 1016–1022. <https://doi.org/10.1016/j.ifacol.2018.08.474>
16. 0. *Wireless Networks*, 23, 23– [2] 41. <https://doi.org/10.1007/s11276-015-1133-7>
17. 3rd Generation Partnership Project. (2022). Service requirements for cyber-physical control applications in vertical domains (3GPP TS 22.104, Release 17). <https://www.3gpp.org/>
18. International Telecommunication Union. (2015). IMT vision—Framework and overall objectives of the future development of IMT for 2020 and beyond (Recommendation ITU-R M.2083-0). <https://www.itu.int/rec/R-REC-M.2083>

19. International Telecommunication Union. (2018). Minimum requirements related to technical performance for IMT-2020 (Report ITU-R M.2410-0). <https://www.itu.int/pub/R-REP-M.2410>
20. Caro, J. B., Ansari, J., Olsson, B.-E., Beckmann, N., König, N., Schmitt, R. H., Popp, F., & Scheike-Momberg, D. (2025). Empirical performance evaluation of 5G millimeter wave system for industrial-use cases in real production environment. Electronics, 14(3), Article 607. <https://doi.org/10.3390/electronics14030607>